

ATTACHMENT 1
HIV Trend Data 1994-2000

TREND DATA	TOTAL	GEOGRAPHIC ¹			REGIONS ²												No Co. Code
NEW DIAGNOSED HIV CASES	Indiana	Urban	Rural	Sub-urban	Gary	South Bend	Fl. Wayne	Lafayette	Muncie	Peru	Indpls	Terre Haute	Richmond	Bloomington	Jerrisonville	Evansville	No Co. Code
Yr of diagnosis																	
1994	254	179	9	66	54	21	9	4	6	3	119	8	4	10	6	10	0
1995	307	226	12	69	58	26	17	6	6	3	149	8	6	9	6	13	0
1996	342	231	9	102	49	22	21	5	10	6	177	12	6	9	11	14	0
1997	305	202	11	92	39	16	18	10	7	3	156	10	10	9	10	17	0
1998	290	188	15	87	37	21	24	8	10	4	150	9	6	6	5	10	0
1999	234	176	5	53	35	19	22	1	11	2	112	2	4	6	5	15	0
2000	252	172	9	71	35	18	19	5	3	3	132	4	2	10	9	11	1

TREND DATA	TOTAL	GEOGRAPHIC ¹			REGIONS ²												No Co. Code
PLWH AT END OF SELECTED YR.	Indiana	Urban	Rural	Sub-urban	Gary	South Bend	Fl. Wayne	Lafayette	Muncie	Peru	Indpls	Terre Haute	Richmond	Bloomington	Jerrisonville	Evansville	No Co. Code
1994	2376	1533	110	729	408	133	157	63	76	28	1022	138	28	100	89	130	4
1995	2577	1676	118	780	443	148	173	66	80	36	1127	140	31	98	98	134	3
1996	2712	1789	106	815	512	159	179	63	74	36	1176	139	35	103	95	139	2
1997	2947	1949	112	883	515	167	174	71	84	42	1327	156	47	104	106	151	3
1998	3092	2040	121	929	530	193	184	74	88	41	1413	159	51	101	109	147	2
1999	3347	2073	283	950	547	222	202	73	101	42	1502	162	58	111	125	160	42
2000	3229	2174	122	933	514	223	201	63	93	41	1528	152	48	107	106	153	0

INDIANA	SEX	RACE/ETHNICITY					MODE OF EXPOSURE										Detailed Age										Sum	
NEW DIAGNOSED HIV CASES	Male	Female	Af Am	Anglo	API	Hisp	Native Am / Alaskan	Unknown	MSM	MSM/ IDU	IDU	Het	Adult Bl. Prod.	Not Classified ³	Ped Total	Ped Parent	Not Classified	Ped Hem	0-23 mo.	2-5 yrs	6-19	20-24	25-29	30-39	40-49	50-54	55+	25-54
Yr of diagnosis																												
1994	223	31	113	137	1	3	0	0	126	12	33	26	2	54	1	1	0	0	1	0	13	33	51	105	42	6	3	204
1995	244	63	128	167	1	11	0	0	148	11	34	45	2	62	5	5	0	0	3	1	10	57	66	114	40	13	3	233
1996	269	73	140	187	1	12	2	0	173	10	31	59	0	65	4	4	0	0	2	2	14	51	59	135	68	6	5	268
1997	238	67	114	177	1	13	0	0	144	7	21	54	1	74	4	4	0	0	2	2	13	40	59	119	43	14	13	235
1998	214	76	108	171	0	10	1	0	125	11	27	57	4	64	2	1	1	0	1	1	14	34	43	116	67	6	8	232
1999	172	62	96	121	0	15	2	0	107	8	13	31	1	72	2	2	0	0	1	0	12	32	46	97	35	6	5	184
2000	182	70	107	133	0	11	0	1	91	9	12	30	2	105	3	2	1	0	2	0	15	32	35	102	49	7	10	193

INDIANA	SEX	RACE/ETHNICITY					MODE OF EXPOSURE										Detailed Age										Sum	
PLWH AT END OF SELECTED YR.	Male	Female	Af Am	Anglo	API	Hisp	Native Am / Alaskan	Unknown	MSM	MSM/ IDU	IDU	Het	Adult Bl. Prod.	Not Classified ³	Ped Total	Ped Parent	Not Classified	Ped Hem	0-23 mo.	2-5 yrs	6-19	20-24	25-29	30-39	40-49	50-54	55+	25-54
At end of elected year																												
1994	2042	334	732	1564	6	71	3	0	1155	125	289	208	24	557	18	14	0	4	2	0	27	150	460	1165	444	56	72	2125
1995	2193	384	840	1640	7	81	2	7	1225	129	323	249	26	604	21	17	0	4	2	0	27	150	460	1165	444	56	72	2125
1996	2286	425	935	1675	8	88	2	4	1288	126	331	287	23	636	21	18	0	3	0	0	24	164	430	1289	516	69	85	2304
1997	2461	486	1024	1801	8	110	3	1	1382	138	346	327	25	700	29	25	0	4	1	0	27	151	425	1351	576	99	82	2451
1998	2556	536	1084	1883	9	110	4	2	1461	137	360	385	28	691	30	25	1	4	1	0	30	154	426	1407	709	118	102	2660
1999	2745	602	1177	2017	9	130	7	7	1566	150	383	423	37	748	40	30	3	7	0	0	13	89	314	1372	959	181	164	2826
2000	2617	612	1167	1916	9	131	5	1	1538	145	343	420	32	714	37	28	2	7	2	5	38	140	339	1413	965	183	144	2900

¹ Urban, rural, and suburban are defined by counties as presented in the Indiana Public Health Priorities - Volume 1, 1994

² Because HIV cases are adjusted for reporting delay, some subtotals may vary by one case. This is the result of rounding.

³ The cases categorized as the mode of exposure "Not Classified" always are more numbers in more recent years. As these cases are investigated to get risk information, they are redistributed to the proper mode of exposure. Therefore, "Not Classified" cases are less numerous in earlier years.

ATTACHMENT 1 (Row %)
HIV Trend Data 1994-2000

TREND DATA NEW DIAGNOSED HIV CASES	TOTAL	GEOGRAPHIC ¹			REGIONS ²													
		Indiana	Urban	Rural	Sub-urban	Gary	South Bend	Ft. Wayne	Lafayette	Muncie	Peru	Indpls	Terre Haute	Richmond	Bloomington	Jeffersonville	Evansville	No Co. Code
Yr of diagnosis																		
1994	100.0%	70.5%	3.5%	26.0%	21.3%	8.3%	3.5%	1.6%	2.4%	1.2%	46.9%	3.1%	1.6%	3.9%	2.4%	3.9%	0.0%	
1995	100.0%	73.6%	3.9%	22.5%	18.9%	8.5%	5.5%	2.0%	2.0%	1.0%	48.5%	2.6%	2.0%	2.9%	2.0%	4.2%	0.0%	
1996	100.0%	67.5%	2.6%	29.8%	14.3%	6.4%	6.1%	1.5%	2.9%	1.8%	51.8%	3.5%	1.8%	2.6%	3.2%	4.1%	0.0%	
1997	100.0%	66.2%	3.6%	30.2%	12.8%	5.2%	5.9%	3.3%	2.3%	1.0%	51.1%	3.3%	3.3%	3.0%	3.3%	5.6%	0.0%	
1998	100.0%	64.8%	5.2%	30.0%	12.8%	7.2%	8.3%	2.8%	3.4%	1.4%	51.7%	3.1%	2.1%	2.1%	1.7%	3.4%	0.0%	
1999	100.0%	75.2%	2.1%	22.6%	15.0%	8.1%	9.4%	0.4%	4.7%	0.9%	47.9%	0.9%	1.7%	2.6%	2.1%	6.4%	0.0%	
2000	100.0%	68.3%	3.6%	28.2%	13.9%	7.1%	7.5%	2.0%	1.2%	1.2%	52.4%	1.6%	0.8%	4.0%	3.6%	4.4%	0.4%	

TREND DATA PLWH AT END OF SELECTED YR.	TOTAL	GEOGRAPHIC ¹			REGIONS ²													
		Indiana	Urban	Rural	Sub-urban	Gary	South Bend	Ft. Wayne	Lafayette	Muncie	Peru	Indpls	Terre Haute	Richmond	Bloomington	Jeffersonville	Evansville	No Co. Code
Yr of diagnosis																		
1994	100.0%	64.5%	4.6%	30.7%	17.2%	5.6%	6.6%	2.7%	3.2%	1.2%	43.0%	5.8%	1.2%	4.2%	3.7%	5.5%	0.2%	
1995	100.0%	65.0%	4.6%	30.3%	17.2%	5.7%	6.7%	2.6%	3.1%	1.4%	43.7%	5.4%	1.2%	3.8%	3.8%	5.2%	0.1%	
1996	100.0%	66.0%	3.9%	30.1%	18.9%	5.9%	6.6%	2.3%	2.7%	1.3%	43.4%	5.1%	1.3%	3.8%	3.5%	5.1%	0.1%	
1997	100.0%	66.1%	3.8%	30.0%	17.5%	5.7%	5.9%	2.4%	2.9%	1.4%	45.0%	5.3%	1.6%	3.5%	3.6%	5.1%	0.1%	
1998	100.0%	66.0%	3.9%	30.0%	17.1%	6.2%	6.0%	2.4%	2.8%	1.3%	45.7%	5.1%	1.6%	3.3%	3.5%	4.8%	0.1%	
1999	100.0%	61.9%	8.5%	28.4%	16.3%	6.6%	6.0%	2.2%	3.0%	1.3%	44.9%	4.8%	1.7%	3.3%	3.7%	4.8%	1.3%	
2000	100.0%	67.3%	3.8%	28.9%	15.9%	6.9%	6.2%	2.0%	2.9%	1.3%	47.3%	4.7%	1.5%	3.3%	3.3%	4.7%	0.0%	

INDIANA NEW DIAGNOSED HIV CASES	SEX	RACE/ETHNICITY					MODE OF EXPOSURE										Detailed Age										Sum						
		Male	Female	Af Am	Anglo	API	Hisp	Native Am / Alaskan	Unknown	MSM	MSM/ IDU	IDU	Het	Adult Bl. Prod.	Not Classi-fied ³	Ped Total	Ped Parent	Not Classif ied	Ped Hem	0-23 mo.	2-5 yrs	6-19	20-24	25-29	30-39	40-49		50-54	55+	25-54			
Yr of diagnosis																																	
1994	87.8%	12.2%	44.5%	53.9%	0.4%	1.2%	0.0%	0.0%	49.6%	4.7%	13.0%	10.2%	0.8%	21.3%	0.4%	0.4%	0.0%	0.0%	0.4%	0.0%	5.1%	13.0%	20.1%	41.3%	16.5%	2.4%	1.2%	80.3%					
1995	79.5%	20.5%	41.7%	54.4%	0.3%	3.6%	0.0%	0.0%	48.2%	3.6%	11.1%	14.7%	0.7%	20.2%	1.6%	1.6%	0.0%	0.0%	1.0%	0.3%	3.3%	18.6%	21.5%	37.1%	13.0%	4.2%	1.0%	75.9%					
1996	78.7%	21.3%	40.9%	54.7%	0.3%	3.5%	0.6%	0.0%	50.6%	2.9%	9.1%	17.3%	0.0%	19.0%	1.2%	1.2%	0.0%	0.0%	0.6%	0.6%	4.1%	14.9%	17.3%	39.5%	19.9%	1.8%	1.5%	78.4%					
1997	78.0%	22.0%	37.4%	58.0%	0.3%	4.3%	0.0%	0.0%	47.2%	2.3%	6.9%	17.7%	0.3%	24.3%	1.3%	1.3%	0.0%	0.0%	0.7%	0.7%	4.3%	13.1%	19.3%	39.0%	14.1%	4.6%	4.3%	77.0%					
1998	73.8%	26.2%	37.2%	59.0%	0.0%	3.4%	0.3%	0.0%	43.1%	3.8%	9.3%	19.7%	1.4%	22.1%	0.7%	0.3%	0.3%	0.0%	0.3%	0.3%	4.8%	11.7%	14.8%	40.0%	23.1%	2.1%	2.8%	80.0%					
1999	73.5%	26.5%	41.0%	51.7%	0.0%	6.4%	0.9%	0.0%	45.7%	3.4%	5.6%	13.2%	0.4%	30.8%	0.9%	0.9%	0.0%	0.0%	0.4%	0.0%	5.1%	13.7%	19.7%	41.5%	15.0%	2.6%	2.1%	78.6%					
2000	72.2%	27.8%	42.5%	52.8%	0.0%	4.4%	0.0%	0.4%	36.1%	3.6%	4.8%	11.9%	0.8%	41.7%	1.2%	0.8%	0.4%	0.0%	0.8%	0.0%	6.0%	12.7%	13.9%	40.5%	19.4%	2.8%	4.0%	76.6%					

INDIANA PLWH AT END OF SELECTED YR.	SEX	RACE/ETHNICITY					MODE OF EXPOSURE										Detailed Age										Sum					
		Male	Female	Af Am	Anglo	API	Hisp	Native Am / Alaskan	Unknown	MSM	MSM/ IDU	IDU	Het	Adult Bl. Prod.	Not Classi-fied ³	Ped Total	Ped Parent	Not Classif ied	Ped Hem	0-23 mo.	2-5 yrs	6-19	20-24	25-29	30-39	40-49		50-54	55+	25-54		
At end of elected year																																
1994	85.9%	14.1%	30.8%	65.8%	0.3%	3.0%	0.1%	0.0%	48.6%	5.3%	12.2%	8.8%	1.0%	23.4%	0.8%	0.6%	0.0%	0.2%	0.1%	0.0%	1.1%	6.3%	19.4%	49.0%	18.7%	2.4%	3.0%	89.4%				
1995	85.1%	14.9%	32.6%	63.6%	0.3%	3.1%	0.1%	0.3%	47.5%	5.0%	12.5%	9.7%	1.0%	23.4%	0.8%	0.7%	0.0%	0.2%	0.1%	0.0%	1.0%	5.8%	17.9%	45.2%	17.2%	2.2%	2.8%	82.5%				
1996	84.3%	15.7%	34.5%	61.8%	0.3%	3.2%	0.1%	0.1%	47.5%	4.6%	12.2%	10.6%	0.8%	23.5%	0.8%	0.7%	0.0%	0.1%	0.0%	0.9%	6.0%	15.9%	47.5%	19.0%	2.5%	3.1%	85.0%					
1997	83.5%	16.5%	34.7%	61.1%	0.3%	3.7%	0.1%	0.0%	46.9%	4.7%	11.7%	11.1%	0.8%	23.8%	1.0%	0.8%	0.0%	0.1%	0.0%	0.9%	5.1%	14.4%	45.8%	19.5%	3.4%	2.8%	83.2%					
1998	82.7%	17.3%	35.1%	60.9%	0.3%	3.6%	0.1%	0.1%	47.3%	4.4%	11.6%	12.5%	0.9%	22.3%	1.0%	0.8%	0.0%	0.1%	0.0%	1.0%	5.0%	13.8%	45.5%	22.9%	3.8%	3.3%	86.0%					
1999	82.0%	18.0%	35.2%	60.3%	0.3%	3.9%	0.2%	0.2%	46.8%	4.5%	11.4%	12.6%	1.1%	22.3%	1.2%	0.9%	0.1%	0.2%	0.0%	0.4%	2.7%	9.4%	41.0%	28.7%	5.4%	4.9%	84.4%					
2000	81.0%	19.0%	36.1%	59.3%	0.3%	4.1%	0.2%	0.0%	47.6%	4.5%	10.6%	13.0%	1.0%	22.1%	1.1%	0.9%	0.1%	0.2%	0.1%	0.2%	1.2%	4.3%	10.5%	43.8%	29.9%	5.7%	4.5%	89.8%				

¹ Urban, rural, and suburban are defined by counties as presented in the Indiana Public Health Priorities - Volume 1, 1994

² Because HIV cases are adjusted for reporting delay, some subtotals may vary by one case. This the result of rounding.

³ The cases categorized as the mode of exposure "Not Classified" always are more numbers in more recent years. As these cases are investigated to get risk information, they are redistributed to the proper mode of exposure. Therefore, "Not Classified" cases are less numerous in earlier years.

ATTACHMENT 2
PLWH REPORTED THROUGH 2001

Indiana (as of 12/31/2000)	IN	Mode of Exposure						Breakdown Ped				Age										Sum		
	Total	MSM	MSM - IDU	IDU	Het	Adult BI Prod.	Not Classif	Ped Total	Ped Parent	Ped Bl.	Ped Hem	0-23 mo.	2-4 yrs	5-12	13-19	20-24	25-29	30-39	40-49	50-54	55+	25-54		
Geographic¹																								
Indiana	3229	1538	145	343	420	32	714	37	28	0	7	2	5	19	19	140	339	1413	965	183	144	2900		
Urban	2174																							
Rural	122																							
Suburban	933																							
Regions																								
Gary	514																							
South Bend	223																							
Ft. Wayne	201																							
Lafayette	63																							
Muncie	93																							
Peru	41																							
Indianapolis	1528																							
Terre Haute	152																							
Richmond	48																							
Bloomington	107																							
Jeffersonville	106																							
Evansville	153																							
Unknown	0																							
Sex																								
Male	2617	1538	145	239	118	22	534	21	13	0	7	2	1	9	9	79	243	1193	800	166	115	2402		
Female	612	0	0	104	302	10	180	16	15	0	0	0	4	10	10	61	96	220	165	17	29	498		
Race/Ethnicity																								
Af. American	1187	358	44	170	172	7	398	18	17	0	0	2	4	8	6	76	132	490	335	68	46	1025		
Male	872	358	44	122	53	6	279	10	9	0	0	2	1	5	1	45	86	379	255	63	35	783		
Female	295	0	0	48	119	1	119	8	8	0	0	0	3	3	5	31	46	111	80	5	11	242		
Anglo	1916	1130	94	157	223	25	270	17	10	0	6	0	1	10	12	59	188	859	589	106	92	1742		
Male	1620	1130	94	102	54	16	215	9	3	0	6	0	0	3	7	33	144	756	508	94	75	1502		
Female	296	0	0	55	169	9	55	8	7	0	0	0	1	7	5	26	44	103	81	12	17	240		
API	9	3	0	0	1	0	3	2	1	0	1	0	0	1	1	0	2	2	2	1	0	7		
Male	7	3	0	0	0	0	2	2	1	0	1	0	0	1	1	0	1	2	1	1	0	5		
Female	2	0	0	0	1	0	1	0	0	0	0	0	0	0	0	1	0	1	0	0	0	2		
Hispanic	131	43	7	16	23	0	42	0	0	0	0	0	0	0	0	5	17	57	39	7	6	120		
Male	112	43	7	15	10	0	37	0	0	0	0	0	0	0	0	1	12	51	36	7	5	106		
Female	19	0	0	1	13	0	5	0	0	0	0	0	0	0	0	4	5	6	3	0	1	14		
Ntv. Am/Alask	5	4	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	5	0	0	0	5		
Male	5	4	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	5	0	0	0	5		
Female	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Unknown	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1		
Male	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1		
Female	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Risk Group																								
MSM	1538																							
MSM - IDU	145																							
IDU	343																							
Hetero-sexual	420																							
Adult BI. Product	32																							
Not Classified	714																							
Pediatric Total	37																							
Pediatric Breakdown																								
Pediatric Parental	28																							
Pediatric BI	0																							
Pediatric Hem	7																							
Age Group																								
0-23mo.	2																							
2-4yrs	5																							
5-12	19																							
13-19	19																							
20-24	140																							
25-29	339																							
30-39	1413																							
40-49	965																							
50-54	183																							
55+	144																							
Summary Age																								
25-54	2900																							

NOT AVAILABLE

NOT AVAILABLE

NOT AVAILABLE

¹ Urban, suburban, and rural are defined b

ATTACHMENT 2a
 CUMULATIVE HIV CASES

(as of 12/31/2000)	IN	Mode of Exposure							Breakdown Ped				Age										Sum
	Total	MSM	MSM - IDU		IDU	Het	Adult Bl Prod.	Not Classifi ed	Ped Total	Ped Parent	Ped Bl.	Ped Hem	0-23 mo.	2-4 yrs	5-12	13-19	20-24	25-29	30-39	40-49	50-54	55+	25-54
Geographic¹																							
Indiana	6208	3144	377	681	671	100	940	291	275	1	15	27	13	22	185	843	1286	2419	864	148	168	4717	
Urban	4044	2124	225	451	376	55	633	179	171	1	7	19	7	8	111	550	861	1612	551	78	101	3102	
Rural	267	127	18	37	31	12	28	14	11	0	3	1	2	2	9	32	49	101	39	8	15	197	
Suburban	1897	893	134	193	264	33	279	98	93	0	5	7	4	12	65	261	376	706	274	62	52	1418	
Regions																							
Gary	983	360	75	206	108	14	164	56	56	0	0	7	0	0	25	121	182	405	148	25	21	760	
South Bend	390	202	21	43	49	6	48	21	21	0	0	3	0	0	13	52	80	161	51	2	10	294	
Ft. Wayne	411	236	22	34	39	11	51	17	17	0	0	2	0	2	11	58	88	153	54	10	19	305	
Lafayette	139	74	13	11	15	4	10	11	10	0	1	0	2	3	3	24	28	43	22	4	3	97	
Muncie	184	96	10	15	35	0	18	10	9	0	1	0	0	1	8	27	46	65	22	4	2	137	
Peru	91	37	5	10	15	2	12	10	9	0	1	0	0	1	2	17	15	30	12	2	3	59	
Indianapolis	2888	1580	159	234	288	41	465	113	112	0	1	10	8	8	94	415	606	1119	398	63	72	2186	
Terre Haute	260	83	15	54	21	3	81	8	2	1	5	1	0	1	7	23	51	118	41	13	4	223	
Richmond	116	57	4	12	16	4	13	10	9	0	1	1	0	1	5	16	23	46	9	4	3	82	
Bloomington	233	145	13	13	24	4	26	9	8	0	1	1	1	1	3	34	45	94	39	6	4	184	
Jeffersonville	204	109	17	15	21	3	34	5	5	0	0	0	1	0	4	23	49	79	29	4	11	161	
Evansville	304	164	22	34	39	8	18	15	15	0	0	2	1	4	9	33	72	106	38	11	16	227	
Unknown	5	1	1	0	1	0	0	6	2	0	4	0	0	0	1	0	1	0	1	0	0	2	
Sex																							
Male	5136	3144	377	481	195	70	720	147	131	1	15	12	9	17	113	689	1104	2073	754	128	126	4059	
Female	1072	0	0	200	476	30	220	144	144	0	0	15	4	5	72	154	182	346	110	20	42	658	
Race/Ethnicity																							
Af. American																							
Male	2032	678	119	318	264	24	495	134	132	0	0	13	5	5	71	278	382	795	286	44	42	1507	
Female	1548	678	119	227	90	15	354	65	64	0	0	6	4	2	44	203	304	628	237	38	29	1207	
Anglo	484	0	0	91	174	9	141	69	68	0	0	7	1	3	27	75	78	167	49	6	13	300	
Male	3934	2381	248	319	371	74	394	148	133	1	13	14	6	15	107	542	857	1505	554	97	124	3013	
Female	3387	2381	248	214	93	54	320	77	63	1	13	6	3	13	66	469	761	1339	496	84	95	2680	
API	547	0	0	105	278	20	41	71	70	0	0	8	3	2	41	73	96	166	58	13	29	333	
Male	11	4	0	0	2	0	3	2	1	0	1	0	1	1	0	2	2	3	2	0	0	7	
Female	8	4	0	0	0	2	2	1	0	1	0	1	0	1	0	2	1	2	1	0	0	4	
Hispanic	3	0	0	0	2	0	1	0	0	0	0	0	0	0	0	0	1	1	1	0	0	3	
Male	219	76	10	43	32	1	48	9	8	0	1	0	0	1	7	20	44	109	21	7	2	181	
Female	183	76	10	39	11	1	43	3	2	0	1	0	0	1	3	15	37	98	19	6	2	160	
Ntv. Am/Alask	36	0	0	4	21	0	5	6	6	0	0	0	0	0	4	5	7	11	2	1	0	21	
Male	11	5	0	1	2	1	0	2	1	0	0	0	1	0	0	1	1	7	0	0	0	8	
Female	9	5	0	1	1	0	0	2	1	0	0	0	1	0	0	0	1	6	0	0	0	7	
Unknown	2	0	0	0	1	1	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	1	
Male	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	
Female	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Unknown	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Male	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Female	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Risk Group																							
MSM	3144											0	0	0	72	470	774	1249	440	75	64	2538	
MSM/IDU	377											0	0	0	3	60	85	191	32	5	1	313	
IDU	681											0	0	0	12	46	110	341	142	15	15	608	
Heterosexual	671											0	0	0	50	112	138	232	94	21	24	485	
Adult Blood Product	100											0	0	0	10	8	20	24	15	5	18	64	
Not Classified	941											0	0	0	38	147	159	382	141	27	46	709	
Pediatric Total	295											27	13	22	0	0	0	0	0	0	0	0	
Pediatric Breakdown																							
Pediatric Parental	275											27	7	8	0	0	0	0	0	0	0	0	
Pediatric Bl.	1											0	1	0	0	0	0	0	0	0	0	0	
Pediatric Hem	15											0	3	12	0	0	0	0	0	0	0	0	
Age Group																							
0-23mo.	27	0	0	0	0	0	0	27	27	0	0												
2-4yrs	13	0	0	0	0	0	0	11	7	1	3												
5-12	22	0	0	0	0	0	0	20	8	0	12												
13-19	185	72	3	12	50	10	38	0	0	0	0												
20-24	843	470	60	46	112	8	147	0	0	0	0												
25-29	1286	774	85	110	138	20	159	0	0	0	0												
30-39	2419	1249	191	341	232	24	382	0	0	0	0												
40-49	864	440	32	142	94	15	141	0	0	0	0												
50-54	148	75	5	15	21	5	27	0	0	0	0												
55+	168	64	1	15	24	18	46	0	0	0	0												
Summary Age																							
25-54	4717	2538	313	608	485	64	709	0	0	0	0												

* This data also includes cases which me

¹ Urban, suburban, and rural are defined

ATTACHMENT 3
AIDS Trend Data 1994-2000

TREND DATA NEW DIAGNOSED AIDS CASES	TOTAL	GEOGRAPHIC ¹				REGIONS ²										No Co. Code ²			
		Indiana	Urban	Rural	Sub-urban	Gary	South Bend	Ft. Wayne	Lafayette	Muncie	Peru	Indpls	Terre Haute	Richmond	Bloomington		Jeffersonville	Evansville	
Yr of diagnosis																			
1994	622	421	25	176	118	44	39	17	17	5	271	22	12	22	19	36	0		
1995	679	423	35	218	96	39	36	25	17	8	308	18	16	30	34	52	3		
1996	573	351	26	196	83	33	46	9	25	6	237	31	12	27	29	35	0		
1997	453	276	19	156	74	31	41	12	11	5	184	20	17	16	15	27	2		
1998	352	217	17	118	54	30	24	8	11	9	155	10	4	7	13	27	0		
1999	243	159	14	69	45	12	16	6	3	1	114	11	8	5	10	12	1		
2000	268	163	22	83	52	21	26	8	10	2	99	6	4	12	13	15	0		

TREND DATA PLWA AT END OF SELECTED YR.	TOTAL	GEOGRAPHIC ¹				REGIONS ²										No Co. Code ²			
		Indiana	Urban	Rural	Sub-urban	Gary	South Bend	Ft. Wayne	Lafayette	Muncie	Peru	Indpls	Terre Haute	Richmond	Bloomington		Jeffersonville	Evansville	
1994	1539	1007	60	466	192	108	64	35	35	19	809	70	41	62	35	63	6		
1995	1629	1069	70	488	205	106	72	35	37	17	855	71	44	67	38	80	2		
1996	1920	1227	87	603	269	113	93	51	51	22	945	83	51	87	55	97	3		
1997	2241	1441	101	697	316	142	130	54	59	22	1078	98	60	96	78	106	2		
1998	2593	1615	111	862	370	165	149	65	79	32	1219	116	66	111	88	128	5		
1999	2620	1615	124	873	352	167	157	65	75	34	1242	119	69	105	98	128	8		
2000	2688	1670	138	880	367	167	153	72	81	33	1291	116	66	111	98	130	3		

INDIANA NEW DIAGNOSED AIDS CASES	SEX	RACE/ETHNICITY							MODE OF EXPOSURE							Detailed Age										Sum								
		Male	Female	Af Am	Anglo	API	Hisp	Native Am / Alaskan	Unknown	MSM	MSM/ IDU	IDU	Het	Adult Bi. Prod.	Not Classified ³	Ped Total	Ped Parent	Ped Not Classif ied	Ped Hem	0-23 mo.	2-5 yrs	6-19	20-24	25-29	30-39		40-49	50-54	55+	25-54				
Yr of diagnosis																																		
1994	562	60	168	437	0	16	1	0	395	56	71	51	12	33	4	2	1	1	2	0	7	16	90	306	145	38	18	579						
1995	604	75	187	472	2	17	1	0	424	46	72	59	5	68	5	3	1	1	3	0	2	24	97	342	153	27	31	619						
1996	498	75	171	382	1	16	3	0	309	40	79	68	11	61	5	2	0	3	1	0	6	20	82	275	133	33	23	523						
1997	386	67	141	293	1	18	0	0	231	22	63	66	2	68	1	1	0	0	1	0	2	22	65	211	120	12	20	408						
1998	306	46	112	226	0	13	1	0	172	20	39	40	6	74	1	1	0	0	1	0	4	8	42	177	82	17	21	318						
1999	208	35	85	148	1	9	0	0	128	6	21	32	1	52	3	1	1	1	1	1	1	11	28	103	68	19	11	218						
2000	214	54	94	156	1	17	0	0	112	10	21	34	1	90	0	0	0	0	0	0	1	7	34	113	81	15	17	243						

INDIANA PLWA AT END OF SELECTED YR.	SEX	RACE/ETHNICITY							MODE OF EXPOSURE							Detailed Age										Sum						
		Male	Female	Af Am	Anglo	API	Hisp	Native Am / Alaskan	Unknown	MSM	MSM/ IDU	IDU	Het	Adult Bi. Prod.	Not Classified ³	Ped Total	Ped Parent	Ped Not Classif ied	Ped Hem	0-23 mo.	2-5 yrs	6-19	20-24	25-29	30-39		40-49	50-54	55+	25-54		
1994	1388	151	364	1114	0	60	1	0	999	116	157	111	43	96	17	12	0	5	1	0	9	27	165	792	411	80	54	1448				
1995	1463	166	416	1149	1	62	1	0	1054	124	166	117	38	112	17	14	0	3	0	0	7	21	150	824	459	93	75	1526				
1996	1719	201	490	1348	3	76	2	1	1207	142	213	137	47	153	20	14	1	5	0	0	10	27	153	939	574	118	99	1784				
1997	1997	244	593	1559	2	85	2	0	1362	168	255	202	46	189	19	11	2	6	0	0	7	34	170	1052	718	141	119	2081				
1998	2304	289	698	1787	2	102	4	0	1557	191	300	245	48	232	20	12	1	7	0	0	9	21	98	1048	1000	214	203	2360				
1999	2320	300	725	1784	3	103	5	0	1544	179	295	271	50	257	24	13	3	8	0	0	12	32	129	1113	955	209	170	2406				
2000	2350	338	752	1811	4	116	5	0	1552	169	287	287	48	321	24	15	0	8	10	2	29	123	420	1318	588	121	77	2447				

¹ Urban, rural, and suburban are defined by counties as presented in the Indiana Public Health Priorities - Volume 1, 1994

² Because AIDS cases are adjusted for reporting delay, some subtotals may vary by one case. This is the result of rounding.

³ The cases categorized as the mode of exposure "Not Classified" always are more numbers in more recent years. As these cases are investigated to get risk information, they are redistributed to the proper mode of exposure.

ATTACHMENT 3 (Row %)
AIDS Trend Data 1994-2000

TREND DATA NEW DIAGNOSED AIDS CASES	TOTAL	GEOGRAPHIC ¹				REGIONS ²												No Co. Code ²	
		Indiana	Urban	Rural	Sub-urban	Gary	South Bend	Ft. Wayne	Lafayette	Muncie	Peru	Indpls	Terre Haute	Richmond	Bloomington	Jeffersonville	Evansville		
Yr of diagnosis																			
1994	100.0%	67.7%	4.0%	28.3%	19.0%	7.1%	6.3%	2.7%	2.7%	0.8%	43.6%	3.5%	1.9%	3.5%	3.1%	5.8%	0.0%		
1995	100.0%	62.3%	5.2%	32.1%	14.1%	5.7%	5.3%	3.7%	2.5%	1.2%	45.4%	2.7%	2.4%	4.4%	5.0%	7.7%	0.4%		
1996	100.0%	61.3%	4.5%	34.2%	14.5%	5.8%	8.0%	1.6%	4.4%	1.0%	41.4%	5.4%	2.1%	4.7%	5.1%	6.1%	0.0%		
1997	100.0%	60.9%	4.2%	34.4%	16.3%	6.8%	9.1%	2.6%	2.4%	1.1%	40.6%	4.4%	3.8%	3.5%	3.3%	6.0%	0.4%		
1998	100.0%	61.6%	4.8%	33.5%	15.3%	8.5%	6.8%	2.3%	3.1%	2.6%	44.0%	2.8%	1.1%	2.0%	3.7%	7.7%	0.0%		
1999	100.0%	65.4%	5.8%	28.4%	18.5%	4.9%	6.6%	2.5%	1.2%	0.4%	46.9%	4.5%	3.3%	2.1%	4.1%	4.9%	0.4%		
2000	100.0%	60.8%	8.2%	31.0%	19.4%	7.8%	9.7%	3.0%	3.7%	0.7%	36.9%	2.2%	1.5%	4.5%	4.9%	5.6%	0.0%		

TREND DATA PLWA AT END OF SELECTED YR.	TOTAL	GEOGRAPHIC ¹				REGIONS ²												No Co. Code ²	
		Indiana	Urban	Rural	Sub-urban	Gary	South Bend	Ft. Wayne	Lafayette	Muncie	Peru	Indpls	Terre Haute	Richmond	Bloomington	Jeffersonville	Evansville		
1994	100.0%	65.4%	3.9%	30.3%	12.5%	7.0%	4.2%	2.3%	2.3%	1.2%	52.6%	4.5%	2.7%	4.0%	2.3%	4.1%	0.4%		
1995	100.0%	65.6%	4.3%	30.0%	12.6%	6.5%	4.4%	2.1%	2.3%	1.0%	52.5%	4.4%	2.7%	4.1%	2.3%	4.9%	0.1%		
1996	100.0%	63.9%	4.5%	31.4%	14.0%	5.9%	4.8%	2.7%	2.7%	1.1%	49.2%	4.3%	2.7%	4.5%	2.9%	5.1%	0.2%		
1997	100.0%	64.3%	4.5%	31.1%	14.1%	6.3%	5.8%	2.4%	2.6%	1.0%	48.1%	4.4%	2.7%	4.3%	3.5%	4.7%	0.1%		
1998	100.0%	62.3%	4.3%	33.2%	14.3%	6.4%	5.7%	2.5%	3.0%	1.2%	47.0%	4.5%	2.5%	4.3%	3.4%	4.9%	0.2%		
1999	100.0%	61.6%	4.7%	33.3%	13.4%	6.4%	6.0%	2.5%	2.9%	1.3%	47.4%	4.5%	2.6%	4.0%	3.7%	4.9%	0.3%		
2000	100.0%	62.1%	5.1%	32.7%	13.7%	6.2%	5.7%	2.7%	3.0%	1.2%	48.0%	4.3%	2.5%	4.1%	3.6%	4.8%	0.1%		

INDIANA NEW DIAGNOSED AIDS CASES	SEX	RACE/ETHNICITY							MODE OF EXPOSURE							Detailed Age										Sum				
		Male	Female	Af Am	Anglo	API	Hisp	Native Am / Alaskan	Unknown	MSM	MSM/ IDU	IDU	Het	Adult Bl. Prod.	Not Classif-ied ³	Ped Total	Ped Parent	Not Classif-ied	Ped Hem	0-23 mo.	2-5 yrs	6-19	20-24	25-29	30-39		40-49	50-54	55+	25-54
Yr of diagnosis																														
1994	90.4%	9.6%	27.0%	70.3%	0.0%	2.6%	0.2%	0.0%	63.5%	9.0%	11.4%	8.2%	1.9%	5.3%	0.6%	0.3%	0.2%	0.2%	0.3%	0.0%	1.1%	2.6%	14.5%	49.2%	23.3%	6.1%	2.9%	93.1%		
1995	89.0%	11.0%	27.5%	69.5%	0.3%	2.5%	0.1%	0.0%	62.4%	6.8%	10.6%	8.7%	0.7%	10.0%	0.7%	0.4%	0.1%	0.1%	0.4%	0.0%	0.3%	3.5%	14.3%	50.4%	22.5%	4.0%	4.6%	91.2%		
1996	86.9%	13.1%	29.8%	66.7%	0.2%	2.8%	0.5%	0.0%	53.9%	7.0%	13.8%	11.9%	1.9%	10.6%	0.9%	0.3%	0.0%	0.5%	0.2%	0.0%	1.0%	3.5%	14.3%	48.0%	23.2%	5.8%	4.0%	91.3%		
1997	85.2%	14.8%	31.1%	64.7%	0.2%	4.0%	0.0%	0.0%	51.0%	4.9%	13.9%	14.6%	0.4%	15.0%	0.2%	0.2%	0.0%	0.0%	0.2%	0.0%	0.4%	4.9%	14.3%	46.6%	26.5%	2.6%	4.4%	90.1%		
1998	86.9%	13.1%	31.8%	64.2%	0.0%	3.7%	0.3%	0.0%	48.9%	5.7%	11.1%	11.4%	1.7%	21.0%	0.3%	0.3%	0.0%	0.0%	0.3%	0.0%	1.1%	2.3%	11.9%	50.3%	23.3%	4.8%	6.0%	90.3%		
1999	85.6%	14.4%	35.0%	60.9%	0.4%	3.7%	0.0%	0.0%	52.7%	2.5%	8.6%	13.2%	0.4%	21.4%	1.2%	0.4%	0.4%	0.4%	0.4%	0.4%	4.5%	11.5%	42.4%	28.0%	7.8%	4.5%	89.7%			
2000	79.9%	20.1%	35.1%	58.2%	0.4%	6.3%	0.0%	0.0%	41.8%	3.7%	7.8%	12.7%	0.4%	33.6%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.4%	2.6%	12.7%	42.2%	30.2%	5.6%	6.3%	90.7%		

INDIANA PLWA AT END OF SELECTED YR.	SEX	RACE/ETHNICITY							MODE OF EXPOSURE							Detailed Age										Sum		
		Male	Female	Af Am	Anglo	API	Hisp	Native Am / Alaskan	Unknown	MSM	MSM/ IDU	IDU	Het	Adult Bl. Prod.	Not Classif-ied ³	Ped Total	Ped Parent	Not Classif-ied	Ped Hem	0-23 mo.	2-5 yrs	6-19	20-24	25-29	30-39		40-49	50-54
1994	90.2%	9.8%	23.7%	72.4%	0.0%	3.9%	0.1%	0.0%	64.9%	7.5%	10.2%	7.2%	2.8%	6.2%	1.1%	0.8%	0.0%	0.3%	0.1%	0.0%	0.6%	1.8%	10.7%	51.5%	26.7%	5.2%	3.5%	94.1%
1995	89.8%	10.2%	25.5%	70.5%	0.1%	3.8%	0.1%	0.0%	64.7%	7.6%	10.2%	7.2%	2.3%	6.9%	1.0%	0.9%	0.0%	0.2%	0.0%	0.0%	0.4%	1.3%	9.2%	50.6%	28.2%	5.7%	4.6%	93.7%
1996	89.5%	10.5%	25.5%	70.2%	0.2%	4.0%	0.1%	0.1%	62.9%	7.4%	11.1%	7.1%	2.4%	8.0%	1.0%	0.7%	0.1%	0.3%	0.0%	0.0%	0.5%	1.4%	8.0%	48.9%	29.9%	6.1%	5.2%	92.9%
1997	89.1%	10.9%	26.5%	69.6%	0.1%	3.8%	0.1%	0.0%	60.8%	7.5%	11.4%	9.0%	2.1%	8.4%	0.8%	0.5%	0.1%	0.3%	0.0%	0.0%	0.3%	1.5%	7.6%	46.9%	32.0%	6.3%	5.3%	92.9%
1998	88.9%	11.1%	26.9%	68.9%	0.1%	3.9%	0.2%	0.0%	60.0%	7.4%	11.6%	9.4%	1.9%	8.9%	0.8%	0.5%	0.0%	0.3%	0.0%	0.0%	0.3%	0.8%	3.8%	40.4%	38.6%	8.3%	7.8%	91.0%
1999	88.5%	11.5%	27.7%	68.1%	0.1%	3.9%	0.2%	0.0%	58.9%	6.8%	11.3%	10.3%	1.9%	9.8%	0.9%	0.5%	0.1%	0.3%	0.0%	0.0%	0.5%	1.2%	4.9%	42.5%	36.5%	8.0%	6.5%	91.8%
2000	87.4%	12.6%	28.0%	67.4%	0.1%	4.3%	0.2%	0.0%	57.7%	6.3%	10.7%	10.7%	1.8%	11.9%	0.9%	0.6%	0.0%	0.3%	0.4%	0.1%	1.1%	4.6%	15.6%	49.0%	21.9%	4.5%	2.9%	91.0%

¹ Urban, rural, and suburban are defined by counties as presented in the Indiana Public Health Priorities - Volume 1, 1994

² Because AIDS cases are adjusted for reporting delay, some subtotals may vary by one case. This is the result of rounding.

³ The cases categorized as the mode of exposure "Not Classified" always are more numbers in more recent years. As these cases are investigated to get risk information, they are redistributed to the proper mode of exposure.

ATTACHMENT 4
INDIANA FATALITY AND DEATH RATES

TREND DATA	TOTAL	GEOGRAPHIC ¹				REGIONS										
	Indiana	Urban	Rural	Sub-urban	Gary	South Bend	Ft. Wayne	Lafa-yette	Muncie	Peru	Indpls	Terre Haute	Richmond	Bloomington	Jeffersonville	Evansville
HIV Deaths by Year of Death																
1992	91	57	7	27	13	9	5	4	5	0	32	4	5	1	5	8
1993	192	117	5	70	36	12	19	3	5	4	75	4	5	4	12	13
1994	295	196	12	87	44	24	19	10	10	3	138	6	4	12	8	17
1995	395	250	17	128	61	25	21	12	13	6	174	13	12	15	11	32
1996	270	181	11	78	41	15	17	6	8	0	139	7	2	10	14	11
1997	206	124	7	75	26	12	13	8	5	2	100	12	6	6	6	10
1998	137	101	3	33	26	8	11	4	3	0	64	2	1	7	4	7
1999	99	65	3	31	16	6	6	1	3	3	48	0	4	4	4	4

HIV Death Rates by Year of Death (per 100,000 Population)																
1992	1.6				4.8	3.3	0.4	1.3	2.0	0.0	2.3	1.9	1.8	0.4	0.8	1.7
1993	3.4				13.0	4.3	1.7	0.9	2.0	2.3	5.3	1.8	1.8	1.4	2.0	2.8
1994	5.1				15.8	8.5	1.7	3.1	3.9	1.7	9.6	2.8	1.4	4.1	1.3	3.7
1995	6.8				21.7	8.7	1.9	3.7	5.1	3.5	12.0	5.9	4.1	5.1	1.8	6.9
1996	4.6				14.4	5.2	1.5	1.8	3.1	0.0	9.5	3.2	0.7	3.4	2.3	2.3
1997	3.5				9.1	4.1	1.1	2.4	2.0	1.2	6.7	5.4	2.1	2.0	1.0	2.1
1998	2.3				9.0	2.7	1.0	1.2	1.2	0.0	4.3	0.9	0.3	2.3	0.6	1.5
1999	1.7				5.5	2.0	0.5	0.3	1.2	1.7	3.2	0.0	1.4	1.3	0.6	0.8

SERVICE AREA	SEX		RACE/ETHNICITY						MODE OF EXPOSURE						Summary age						
	Male	Female	Af Am	Anglo	API	Hisp	Native Am / Alaskan	Other	MSM	MSM/ IDU	IDU	Het	Adult BI Prod.	Not Class-ified	Ped Total	0-23 mo.	2-12 yrs	13-19	20-24	25-54	55+
HIV Deaths by Year of Death																					
1992	81	10	30	61	0	0	0	0	53	6	12	9	3	5	3	2	1	0	2	76	10
1993	176	16	45	144	0	3	0	0	128	8	25	13	10	7	1	1	0	0	10	164	17
1994	275	20	66	217	2	9	0	1	199	26	32	15	7	15	1	0	0	1	6	272	16
1995	354	41	87	294	0	14	0	0	258	25	45	35	6	21	5	4	0	1	7	366	17
1996	236	34	87	177	0	6	0	0	169	22	27	28	2	19	3	1	1	1	2	252	13
1997	174	32	58	143	2	2	0	1	115	10	30	24	3	21	3	0	3	0	5	181	17
1998	123	14	46	87	0	4	0	0	76	14	22	11	2	12	0	0	0	1	2	119	14
1999	89	10	33	63	0	3	0	0	61	8	9	11	0	10	0	0	0	0	0	84	14

Urban, rural, and suburban are defined by counties as presented in the Indiana Public Health Priorities - Volume 1, 1994

HIV Death Rates by Year of Death (per 100,000 Population)																						
1992	3.0	0.3	6.8	1.2	0.0	0.0	0.0													0.5	3.2	0.8
1993	6.4	0.5	10.0	2.8	0.0	2.7	0.0													2.3	6.7	1.4
1994	9.9	0.7	14.5	4.2	4.3	7.8	0.0													1.4	11.0	1.3
1995	12.6	1.4	18.8	5.7	0.0	11.5	0.0													1.7	14.6	1.4
1996	8.3	1.1	18.6	3.4	0.0	4.7	0.0													0.5	9.9	1.1
1997	6.1	1.1	12.2	2.8	3.7	1.5	0.0													1.3	7.1	1.4
1998	4.3	0.5	9.6	1.7	0.0	2.7	0.0													0.5	4.6	1.1
1999	3.1	0.3	6.8	1.2	0.0	1.9	0.0													0.0	3.3	1.1

**ATTACHMENT 5
PLWA REPORTED THROUGH 2000**

Indiana	IN		Sex		Race/Ethnicity						Nat Am - Alaska						Unknown					
	Total		Male	Female	Af Am	Anglo		API		Hispanic		Nat Am - Alaska		Unknown								
(as of 12/31/2000)					Total	Male**	Female	Tot	Male	Female	Tot	Male	Female	Tot	Male	Female	Tot	Male	Female			
Geographic¹																						
Indiana	2688	2350	338	752				1811			4			116			5			0	0	0
Urban	1670	1462	208	614							2						1			0	0	0
Rural	138	122	16	6							0			5			0			0	0	0
Suburban	880	766	114	132							2			43			4			0	0	0
Regions																						
Gary	367	304	63	184				151			1			31			0			0	0	0
South Bend	167	136	31	47				106			0			13			1			0	0	0
Ft. Wayne	153	134	19	24				124			1			4			0			0	0	0
Lafayette	72	64	8	6				62			0			6			0			0	0	0
Muncie	81	72	9	12				64			0			5			0			0	0	0
Peru	33	26	7	4				25			0			4			0			0	0	0
Indianapolis	1291	1142	149	402				855			1			30			3			0	0	0
Terre Haute	116	106	10	29				70			0			17			0			0	0	0
Richmond	66	58	8	5				59			0			2			0			0	0	0
Bloomington	111	103	8	9				99			0			3			0			0	0	0
Jeffersonville	98	84	14	13				81			1			2			1			0	0	0
Evansville	130	118	12	17				112			0			1			0			0	0	0
Unknown	3	3	0	0				3			0			0			0			0	0	0
Sex																						
Male	2350																					
Female	338																					
Race/Ethnicity																						
Af. American	752																					
Male	591																					
Female	161																					
Anglo	1811																					
Male	1646																					
Female	165																					
API	4																					
Male	3																					
Female	1																					
Hispanic	116																					
Male	107																					
Female	9																					
Ntv. Am/Alask	5																					
Male	3																					
Female	2																					
Unknown	0																					
Male	0																					
Female	0																					
Risk Group																						
MSM	1552	1552	0	298				1194			2			57			1			0	0	0
MSM/IDU	169	169	0	52				114			0			3			0			0	0	0
IDU	287	212	75	133							1			26			1			0	0	0
Heterosexual	287	106	181	115							1			6			1			0	0	0
Adult Blood Product	48	36	12	11				35			0			1			0			0	0	0
Not Classified	321	260	61	135				162			0			23			1			0	0	0
Pediatric Total	24	15	9	8				16			0			0			0			0	0	0
Pediatric Breakdown																						
Pediatric Parental	15	6	9	8				7			0			0			0			0	0	0
Pediatric Bl	1	1	0	0				1			0			0			0			0	0	0
Pediatric Hem	8	8	0	0				8			0			0			0			0	0	0
Age Group																						
0-23mo.	10	5	5	7				3			0			0			0			0	0	0
2-4yrs	2	0	2	0				2			0			0			0			0	0	0
5-12	6	3	3	2				3			0			0			1			0	0	0
13-19	23	16	7	7				16			0			0			0			0	0	0
20-24	123	98	25	39				77			0			7			0			0	0	0
25-29	420	351	69	120				285			0			14			1			0	0	0
30-39	1318	1179	139	368				882			4			62			2			0	0	0
40-49	588	525	63	156				406			0			25			1			0	0	0
50-54	121	107	14	29				85			0			7			0			0	0	0
55+	77	66	11	24				52			0			1			0			0	0	0
Summary Age																						
25-54	2447	2162	285	673				1658			4			108			4			0	0	0

¹ Urban, suburban, and rural are defined by counties as presented in the Indiana Public Health Priorities - Volume 1, 1994.
** Ethnic breakdown by gender data was not available.

ATTACHMENT 5 (Row %)
PLWA REPORTED THROUGH 2000

Indiana	IN		Sex		Race/Ethnicity									Hispanic			Nat Am - Alask			Unknown		
	Total		Male	Female	Af Am	Anglo	API	Hispanic	Nat Am - Alask	Unknown	Tot	Male	Female	Tot	Male	Female	Tot	Male	Female			
(as of 12/31/2000)																						
Geographic ¹																						
Indiana	100.0%		87.4%	12.6%	28.0%		67.4%		0.1%		4.3%				0.2%			0.0%	0.0%	0.0%		
Urban	100.0%		87.5%	12.5%	36.8%		59.0%		0.1%		4.1%				0.1%			0.0%	0.0%	0.0%		
Rural	100.0%		88.4%	11.6%	4.3%		92.0%		0.0%		3.6%				0.0%			0.0%	0.0%	0.0%		
Suburban	100.0%		87.0%	13.0%	15.0%		79.4%		0.2%		4.9%				0.5%			0.0%	0.0%	0.0%		
Regions																						
Gary	100.0%		82.8%	17.2%	50.1%		41.1%		0.3%		8.4%				0.0%			0.0%	0.0%	0.0%		
South Bend	100.0%		81.4%	18.6%	28.1%		63.5%		0.0%		7.8%				0.6%			0.0%	0.0%	0.0%		
Ft. Wayne	100.0%		87.6%	12.4%	15.7%		81.0%		0.7%		2.6%				0.0%			0.0%	0.0%	0.0%		
Lafayette	100.0%		88.9%	11.1%	8.3%		86.1%		0.0%		5.6%				0.0%			0.0%	0.0%	0.0%		
Muncie	100.0%		88.9%	11.1%	14.8%		79.0%		0.0%		6.2%				0.0%			0.0%	0.0%	0.0%		
Peru	100.0%		78.8%	21.2%	12.1%		75.8%		0.0%		12.1%				0.0%			0.0%	0.0%	0.0%		
Indianapolis	100.0%		88.5%	11.5%	31.1%		66.2%		0.1%		2.3%				0.2%			0.0%	0.0%	0.0%		
Terre Haute	100.0%		91.4%	8.6%	25.0%		60.3%		0.0%		14.7%				0.0%			0.0%	0.0%	0.0%		
Richmond	100.0%		87.9%	12.1%	7.6%		89.4%		0.0%		3.0%				0.0%			0.0%	0.0%	0.0%		
Bloomington	100.0%		92.8%	7.2%	8.1%		89.2%		0.0%		7.2%				0.0%			0.0%	0.0%	0.0%		
Jeffersonville	100.0%		85.7%	14.3%	13.3%		82.7%		1.0%		2.0%				1.0%			0.0%	0.0%	0.0%		
Evansville	100.0%		90.8%	9.2%	13.1%		86.2%		0.0%		0.8%				0.0%			0.0%	0.0%	0.0%		
Unknown	100.0%		100.0%	0.0%	0.0%		100.0%		0.0%		0.0%				0.0%			0.0%	0.0%	0.0%		
Sex																						
Male	100.0%																					
Female	100.0%																					
Race/Ethnicity																						
Af. American	100.0%																					
Male	100.0%																					
Female	100.0%																					
Anglo	100.0%																					
Male	100.0%																					
Female	100.0%																					
API	100.0%																					
Male	100.0%																					
Female	100.0%																					
Hispanic	100.0%																					
Male	100.0%																					
Female	100.0%																					
Ntv. Am/Alask	100.0%																					
Male	100.0%																					
Female	100.0%																					
Unknown	---																					
Male	---																					
Female	---																					
Risk Group																						
MSM	100.0%		100.0%	0.0%	19.2%		76.9%		0.1%		3.7%				0.1%			0.0%	0.0%	0.0%		
MSM/IDU	100.0%		100.0%	0.0%	30.8%		67.5%		0.0%		1.8%				0.0%			0.0%	0.0%	0.0%		
IDU	100.0%		73.9%	26.1%	46.3%		43.9%		0.3%		9.1%				0.3%			0.0%	0.0%	0.0%		
Heterosexual	100.0%		36.9%	63.1%	40.1%		57.1%		0.3%		2.1%				0.3%			0.0%	0.0%	0.0%		
Adult Blood Product	100.0%		75.0%	25.0%	22.9%		72.9%		0.0%		2.1%				2.1%			0.0%	0.0%	0.0%		
Not Classified	100.0%		81.0%	19.0%	42.1%		50.5%		0.0%		7.2%				0.3%			0.0%	0.0%	0.0%		
Pediatric Total	100.0%		62.5%	37.5%	33.3%		66.7%		0.0%		0.0%				0.0%			0.0%	0.0%	0.0%		
Pediatric Breakdown																						
Pediatric Parental	100.0%		40.0%	60.0%	53.3%		46.7%		0.0%		0.0%				0.0%			0.0%	0.0%	0.0%		
Pediatric BI	100.0%		100.0%	0.0%	0.0%		100.0%		0.0%		0.0%				0.0%			0.0%	0.0%	0.0%		
Pediatric Hem	100.0%		100.0%	0.0%	0.0%		100.0%		0.0%		0.0%				0.0%			0.0%	0.0%	0.0%		
Age Group																						
0-23mo	100.0%		50.0%	50.0%	70.0%		30.0%		0.0%		0.0%				0.0%			0.0%	0.0%	0.0%		
2-4yrs	100.0%		100.0%	0.0%	100.0%		100.0%		0.0%		0.0%				0.0%			0.0%	0.0%	0.0%		
5-12	100.0%		50.0%	50.0%	33.3%		50.0%		0.0%		0.0%				16.7%			0.0%	0.0%	0.0%		
13-19	100.0%		69.6%	30.4%	30.4%		69.6%		0.0%		0.0%				0.0%			0.0%	0.0%	0.0%		
20-24	100.0%		79.7%	20.3%	31.7%		62.6%		0.0%		5.7%				0.0%			0.0%	0.0%	0.0%		
25-29	100.0%		83.6%	16.4%	28.6%		67.9%		0.0%		3.9%				0.2%			0.0%	0.0%	0.0%		
30-39	100.0%		89.5%	10.5%	27.9%		66.9%		0.3%		4.7%				0.2%			0.0%	0.0%	0.0%		
40-49	100.0%		89.3%	10.7%	26.5%		69.0%		0.0%		4.3%				0.2%			0.0%	0.0%	0.0%		
50-54	100.0%		88.4%	11.6%	24.0%		70.2%		0.0%		5.8%				0.0%			0.0%	0.0%	0.0%		
55+	100.0%		85.7%	14.3%	31.2%		67.5%		0.0%		1.3%				0.0%			0.0%	0.0%	0.0%		
Summary Age																						
25-54	100.0%		88.4%	11.6%	27.5%		67.8%		0.2%		4.4%				0.2%			0.0%	0.0%	0.0%		

¹ Urban, suburban, and rural are defined by counties as presented in the Indiana Public Health Priorities - Volume 1, 1994.

** Ethnic breakdown by gender data was not available.

ATTACHMENT 6
HIV/AIDS Trend Data 1994-2000

TREND DATA	TOTAL	GEOGRAPHIC ¹				REGIONS											No Co. Code ²
CUMULATIVE HIV/AIDS CASES	Indiana	Urban	Rural	Sub-urban	Gary	South Bend	Ft. Wayne	Lafayette	Muncie	Peru	Indpls	Terre Haute	Richmond	Bloomington	Jeffersonville	Evansville	No Co. Code ²
Yr of diagnosis																	
1994	876	600	34	242	172	65	48	21	23	8	390	30	16	32	25	46	0
1995	986	649	47	287	154	65	53	31	23	11	457	26	22	39	40	65	3
1996	915	582	35	298	132	55	67	14	35	12	414	43	18	36	40	49	0
1997	758	478	30	248	113	47	59	22	18	8	340	30	27	25	25	44	2
1998	642	405	32	205	91	51	48	16	21	13	305	19	10	13	18	37	0
1999	477	335	19	122	80	31	38	7	14	3	226	13	12	11	15	27	1
2000	520	335	31	154	87	39	45	13	13	5	231	10	6	22	22	26	1

TREND DATA	TOTAL	GEOGRAPHIC ¹				REGIONS											No Co. Code ²
PLWHA AT END OF SELECTED YR.	Indiana	Urban	Rural	Sub-urban	Gary	South Bend	Ft. Wayne	Lafayette	Muncie	Peru	Indpls	Terre Haute	Richmond	Bloomington	Jeffersonville	Evansville	No Co. Code ²
1994	3915	2540	170	1195	600	241	221	98	111	47	1831	208	69	162	124	193	10
1995	4206	2745	188	1268	648	254	245	101	117	53	1982	211	75	165	136	214	5
1996	4632	3016	193	1418	781	272	272	114	125	58	2121	222	86	190	150	236	5
1997	5188	3390	213	1580	831	309	304	125	143	64	2405	254	107	200	184	257	5
1998	5685	3655	232	1791	900	358	333	139	167	73	2632	275	117	212	197	275	7
1999	5967	3688	407	1823	899	389	359	138	176	76	2744	281	127	216	223	288	50
2000	5917	3844	260	1813	881	390	354	135	174	74	2819	268	114	218	204	283	3

INDIANA	SEX		RACE/ETHNICITY					MODE OF EXPOSURE										Detailed Age										Sum
CUMULATIVE HIV/AIDS CASES	Male	Female	Af Am	Anglo	API	Hisp	Native Am / Alaskan	Unknown	MSM	MSM/ IDU	IDU	Het	Adult Bl. Prod.	** Not Classified	Ped Total	Ped Parent	Ped Not Classified	Ped Hem	0-23 mo.	2-5 yrs	6-19	20-24	25-29	30-39	40-49	50-54	55+	25-54
Yr of diagnosis																												
1994	785	91	281	574	1	19	1	0	521	68	104	77	14	86	5	3	1	1	3	0	20	49	141	411	187	44	21	783
1995	848	138	315	639	3	28	1	0	572	57	106	104	7	130	10	8	1	1	6	1	12	81	163	456	193	40	34	852
1996	767	148	311	569	2	28	5	0	482	50	110	127	11	126	9	6	0	3	3	2	20	71	141	410	201	39	28	791
1997	624	134	255	470	2	31	0	0	375	29	84	120	3	142	5	5	0	0	3	2	15	62	124	330	163	26	33	643
1998	520	122	220	397	0	23	2	0	297	31	66	97	10	138	3	2	1	0	2	1	18	42	85	293	149	23	29	550
1999	380	97	181	269	1	24	2	0	235	14	34	63	2	124	5	3	1	1	2	1	13	43	74	200	103	25	16	402
2000	396	124	201	289	1	28	0	1	203	19	33	64	3	195	3	2	1	0	2	0	16	39	69	215	130	22	27	436

INDIANA	SEX		RACE/ETHNICITY					MODE OF EXPOSURE										Detailed Age										Sum
PLWHA AT END OF SELECTED YR.	Male	Female	Af Am	Anglo	API	Hisp	Native Am / Alaskan	Unknown	MSM	MSM/ IDU	IDU	Het	Adult Bl. Prod.	** Not Classified	Ped Total	Ped Parent	Ped Not Classified	Ped Hem	0-23 mo.	2-5 yrs	6-19	20-24	25-29	30-39	40-49	50-54	55+	25-54
At end of elected year																												
1994	3430	485	1096	2678	6	131	4	0	2154	241	446	319	67	653	35	26	0	9	3	0	36	177	625	1957	855	136	126	3573
1995	3656	550	1256	2789	8	143	3	7	2279	253	489	366	64	716	38	31	0	7	2	0	34	171	610	1989	903	149	147	3651
1996	4005	626	1425	3023	11	164	4	5	2495	268	544	424	70	789	41	32	1	8	0	0	34	191	583	2228	1090	187	184	4088
1997	4458	730	1617	3360	10	195	5	1	2744	306	601	529	71	889	48	36	2	10	1	0	34	185	595	2403	1294	240	201	4532
1998	4860	825	1782	3670	11	212	8	2	3018	328	660	630	76	923	50	37	2	11	1	0	39	175	524	2455	1709	332	305	5020
1999	5065	902	1902	3801	12	233	12	7	3110	329	678	694	87	1005	64	43	6	15	0	0	25	121	443	2485	1914	390	334	5232
2000	4967	950	1919	3727	13	247	10	1	3090	314	630	707	80	1035	61	43	2	15	12	7	67	263	759	2731	1553	304	221	5347

¹ Urban, rural, and suburban are defined by counties as presented in the Indiana Public Health Priorities - Volume 1, 1994

* AIDS cases by year of diagnosis are adjusted for reporting delays.

** The cases categorized as the mode of exposure "Not Classified" always are more numbers in more recent years. As these cases are investigated to get risk information, they are redistributed to the proper mode of exposure.

Therefore, "Not Classified" cases are less numerous in earlier years.

***Because HIV cases are adjusted for reporting delay, some subtotals may vary by one case. This is the result of rounding.

ATTACHMENT 6 (Row %)
HIV/AIDS Trend Data 1994-2000

TREND DATA	TOTAL	GEOGRAPHIC ¹				REGIONS											
CUMULATIVE HIV/AIDS CASES	Indiana	Urban	Rural	Sub-urban	Gary	South Bend	Ft. Wayne	Lafayette	Muncie	Peru	Indpls	Terre Haute	Richmond	Bloomington	Jeffersonville	Evansville	No Co. Code ²
Yr of diagnosis																	
1994	100.0%	68.5%	3.9%	27.6%	19.6%	7.4%	5.5%	2.4%	2.6%	0.9%	44.5%	3.4%	1.8%	3.7%	2.9%	5.3%	0.0%
1995	100.0%	65.8%	4.8%	29.1%	15.6%	6.6%	5.4%	3.1%	2.3%	1.1%	46.3%	2.6%	2.2%	4.0%	4.1%	6.6%	0.3%
1996	100.0%	63.6%	3.8%	32.6%	14.4%	6.0%	7.3%	1.5%	3.8%	1.3%	45.2%	4.7%	2.0%	3.9%	4.4%	5.4%	0.0%
1997	100.0%	63.1%	4.0%	32.7%	14.9%	6.2%	7.8%	2.9%	2.4%	1.1%	44.9%	4.0%	3.6%	3.3%	3.3%	5.8%	0.3%
1998	100.0%	63.1%	5.0%	31.9%	14.2%	7.9%	7.5%	2.5%	3.3%	2.0%	47.5%	3.0%	1.6%	2.0%	2.8%	5.8%	0.0%
1999	100.0%	70.2%	4.0%	25.6%	16.8%	6.5%	8.0%	1.5%	2.9%	0.6%	47.4%	2.7%	2.5%	2.3%	3.1%	5.7%	0.2%
2000	100.0%	64.4%	6.0%	29.6%	16.7%	7.5%	8.7%	2.5%	2.5%	1.0%	44.4%	1.9%	1.2%	4.2%	4.2%	5.0%	0.2%

TREND DATA	TOTAL	GEOGRAPHIC ¹				REGIONS											
PLWHA AT END OF SELECTED YR.	Indiana	Urban	Rural	Sub-urban	Gary	South Bend	Ft. Wayne	Lafayette	Muncie	Peru	Indpls	Terre Haute	Richmond	Bloomington	Jeffersonville	Evansville	No Co. Code ²
1994	100.0%	64.9%	4.3%	30.5%	15.3%	6.2%	5.6%	2.5%	2.8%	1.2%	46.8%	5.3%	1.8%	4.1%	3.2%	4.9%	0.3%
1995	100.0%	65.3%	4.5%	30.1%	15.4%	6.0%	5.8%	2.4%	2.8%	1.3%	47.1%	5.0%	1.8%	3.9%	3.2%	5.1%	0.1%
1996	100.0%	65.1%	4.2%	30.6%	16.9%	5.9%	5.9%	2.5%	2.7%	1.3%	45.8%	4.8%	1.9%	4.1%	3.2%	5.0%	0.1%
1997	100.0%	65.3%	4.1%	30.5%	16.0%	6.0%	5.9%	2.4%	2.8%	1.2%	46.4%	4.9%	2.1%	3.9%	3.5%	5.0%	0.1%
1998	100.0%	64.3%	4.1%	31.5%	15.8%	6.3%	5.9%	2.4%	2.9%	1.3%	46.3%	4.8%	2.1%	3.7%	3.5%	4.8%	0.1%
1999	100.0%	61.8%	6.8%	30.6%	15.1%	6.5%	6.0%	2.3%	2.9%	1.3%	46.0%	4.7%	2.1%	3.6%	3.7%	4.8%	0.8%
2000	100.0%	65.0%	4.4%	30.6%	14.9%	6.6%	6.0%	2.3%	2.9%	1.3%	47.6%	4.5%	1.9%	3.7%	3.4%	4.8%	0.1%

INDIANA	SEX		RACE/ETHNICITY					MODE OF EXPOSURE										Detailed Age										Sum
CUMULATIVE HIV/AIDS CASES	Male	Female	Af Am	Anglo	API	Hisp	Native Am / Alaskan	Unknown	MSM	MSM/ IDU	IDU	Het	Adult Bl. Prod.	** Not Classified	Ped Total	Ped Parent	Not Classified	Ped Hem	0-23 mo.	2-5 yrs	6-19	20-24	25-29	30-39	40-49	50-54	55+	25-54
Yr of diagnosis																												
1994	89.6%	10.4%	32.1%	65.5%	0.1%	2.2%	0.1%	0.0%	59.5%	7.8%	11.9%	8.8%	1.6%	9.8%	0.6%	0.3%	0.1%	0.3%	0.0%	2.3%	5.6%	16.1%	46.9%	21.3%	5.0%	2.4%	89.4%	
1995	86.0%	14.0%	31.9%	64.8%	0.3%	2.8%	0.1%	0.0%	58.0%	5.8%	10.8%	10.5%	0.7%	13.2%	1.0%	0.8%	0.1%	0.1%	0.6%	1.2%	8.2%	16.5%	46.2%	19.6%	4.1%	3.4%	86.4%	
1996	83.8%	16.2%	34.0%	62.2%	0.2%	3.1%	0.5%	0.0%	52.7%	5.5%	12.0%	13.9%	1.2%	13.8%	1.0%	0.7%	0.0%	0.3%	0.3%	2.2%	7.8%	15.4%	44.8%	22.0%	4.3%	3.1%	86.4%	
1997	82.3%	17.7%	33.6%	62.0%	0.3%	4.1%	0.0%	0.0%	49.5%	3.8%	11.1%	15.8%	0.4%	18.7%	0.7%	0.7%	0.0%	0.0%	0.4%	0.3%	2.0%	8.2%	16.4%	43.5%	21.5%	3.4%	4.4%	84.8%
1998	81.0%	19.0%	34.3%	61.8%	0.0%	3.6%	0.3%	0.0%	46.3%	4.8%	10.3%	15.1%	1.6%	21.5%	0.5%	0.3%	0.2%	0.0%	0.3%	0.2%	2.8%	6.5%	13.2%	45.6%	23.2%	3.6%	4.5%	85.7%
1999	79.7%	20.3%	37.9%	56.4%	0.2%	5.0%	0.4%	0.0%	49.3%	2.9%	7.1%	13.2%	0.4%	26.0%	1.0%	0.6%	0.2%	0.2%	0.4%	0.2%	2.7%	9.0%	15.5%	41.9%	21.6%	5.2%	3.4%	84.3%
2000	76.2%	23.8%	38.7%	55.6%	0.2%	5.4%	0.0%	0.2%	39.0%	3.7%	6.3%	12.3%	0.6%	37.5%	0.6%	0.4%	0.2%	0.0%	0.4%	0.0%	3.1%	7.5%	13.3%	41.3%	25.0%	4.2%	5.2%	83.8%

INDIANA	SEX		RACE/ETHNICITY					MODE OF EXPOSURE										Detailed Age										Sum
PLWHA AT END OF SELECTED YR.	Male	Female	Af Am	Anglo	API	Hisp	Native Am / Alaskan	Unknown	MSM	MSM/ IDU	IDU	Het	Adult Bl. Prod.	** Not Classified	Ped Total	Ped Parent	Not Classified	Ped Hem	0-23 mo.	2-5 yrs	6-19	20-24	25-29	30-39	40-49	50-54	55+	25-54
At end of elected year																												
1994	87.6%	12.4%	28.0%	68.4%	0.2%	3.3%	0.1%	0.0%	55.0%	6.2%	11.4%	8.1%	1.7%	16.7%	0.9%	0.7%	0.0%	0.2%	0.1%	0.0%	0.9%	4.5%	16.0%	50.0%	21.8%	3.5%	3.2%	91.3%
1995	86.9%	13.1%	29.9%	66.3%	0.2%	3.4%	0.1%	0.2%	54.2%	6.0%	11.6%	8.7%	1.5%	17.0%	0.9%	0.7%	0.0%	0.2%	0.0%	0.0%	0.8%	4.1%	14.5%	47.3%	21.5%	3.5%	3.5%	86.8%
1996	86.5%	13.5%	30.8%	65.3%	0.2%	3.5%	0.1%	0.1%	53.9%	5.8%	11.7%	9.2%	1.5%	17.0%	0.9%	0.7%	0.0%	0.2%	0.0%	0.0%	0.7%	4.1%	12.6%	48.1%	23.5%	4.0%	4.0%	88.3%
1997	85.9%	14.1%	31.2%	64.8%	0.2%	3.8%	0.1%	0.0%	52.9%	5.9%	11.6%	10.2%	1.4%	17.1%	0.9%	0.7%	0.0%	0.2%	0.0%	0.0%	0.7%	3.6%	11.5%	46.3%	24.9%	4.6%	3.9%	87.4%
1998	85.5%	14.5%	31.3%	64.6%	0.2%	3.7%	0.1%	0.0%	53.1%	5.8%	11.6%	11.1%	1.3%	16.2%	0.9%	0.7%	0.0%	0.2%	0.0%	0.0%	0.7%	3.1%	9.2%	43.2%	30.1%	5.8%	5.4%	88.3%
1999	84.9%	15.1%	31.9%	63.7%	0.2%	3.9%	0.2%	0.1%	52.1%	5.5%	11.4%	11.6%	1.5%	16.8%	1.1%	0.7%	0.1%	0.3%	0.0%	0.0%	0.4%	2.0%	7.4%	41.6%	32.1%	6.5%	5.6%	87.7%
2000	83.9%	16.1%	32.4%	63.0%	0.2%	4.2%	0.2%	0.0%	52.2%	5.3%	10.6%	11.9%	1.4%	17.5%	1.0%	0.7%	0.0%	0.3%	0.2%	0.1%	1.1%	4.4%	12.8%	46.2%	26.2%	5.1%	3.7%	90.4%

¹ Urban, rural, and suburban are defined by counties as presented in the Indiana Public Health Priorities - Volume 1, 1994

* AIDS cases by year of diagnosis are adjusted for reporting delays.

** The cases categorized as the mode of exposure "Not Classified" always are more numbers in more recent years. As these cases are investigated to get risk information, they are redistributed to the proper mode of exposure. Therefore, "Not Classified" cases are less numerous in earlier years.

***Because HIV cases are adjusted for reporting delay, some subtotals may vary by one case. This is the result of rounding.

ATTACHMENT 7
PLWH/A Reported Through 2000

Indiana (as of 12/31/2000)	IN		Sex		Race/Ethnicity																		
	Total				Af Am			Anglo			API			Hispanic			Nat Am - Alask			Unknown			
			Male	Female	Total	Male	Female	Tot	Male	Female	Tot	Male	Female	Tot	Male	Female	Tot	Male	Female	Tot	Male	Female	
Geographic¹																							
Indiana	5917	4967	950	1919			3727			13			247			10					1	1	0
Urban	3844	3230	614	1567			2123			7			143			4					0	0	0
Rural	260	224	36	24			226			0			10			0					0	0	0
Suburban	1813	1513	300	328			1378			6			94			6					1	1	0
Regions																							
Gary	881	698	183	456			352			2			71			0					0	0	0
South Bend	390	320	70	128			239			0			22			1					0	0	0
Ft. Wayne	354	300	54	80			260			3			10			1					0	0	0
Lafayette	135	115	20	10			116			0			9			0					0	0	0
Muncie	174	144	30	37			130			0			7			0					0	0	0
Peru	74	49	25	17			52			0			5			0					0	0	0
Indianapolis	2819	2400	419	1003			1744			4			63			5					0	0	0
Terre Haute	268	245	23	88			137			0			43			0					0	0	0
Richmond	114	95	19	11			100			0			3			0					0	0	0
Bloomington	218	193	25	19			190			2			6			1					0	1	0
Jeffersonville	204	166	38	27			167			1			6			2					1	1	0
Evansville	283	239	44	43			237			1			2			0					0	0	0
Unknown	3	3	0	0			3			0			0			0					0	0	0
Sex																							
Male	4967																						
Female	950																						
Race/Ethnicity																							
Af. American	1919																						
Male	1463																						
Female	456																						
Anglo	3727																						
Male	3266																						
Female	461																						
API	13																						
Male	10																						
Female	3																						
Hispanic	247																						
Male	219																						
Female	28																						
Ntv. Am/Alask	10																						
Male	8																						
Female	2																						
Unknown	1																						
Male	1																						
Female	0																						
Risk Group																							
MSM	3090	3090	0	656			2324			5			100			5					0	0	0
MSM/IDU	314	314	0	96			208			0			10			0					0	0	0
IDU	630	451	179	303			283			1			42			1					0	0	0
Heterosexual	707	224	483	287			387			2			29			2					0	0	0
Adult Blood Product	80	58	22	18			60			0			1			1					0	0	0
Not Classified	1035	794	241	533			432			3			65			1					1	1	0
Pediatric Total	61	36	25	26			33			2			0			0					0	0	0
Pediatric Breakdown																							
Pediatric Parental	43	19	24	25			17			1			0			0					0	0	0
Pediatric BI	1	1	0	0			1			0			0			0					0	0	0
Pediatric Hem	15	15	0	0			14			1			0			0					0	0	0
Age Group																							
0-23mo.	12	7	5	9			3			0			0			0					0	0	0
2-4yrs	7	1	6	4			3			0			0			0					0	0	0
5-12	25	12	13	10			13			1			0			1					0	0	0
13-19	42	25	17	13			28			0			0			0					0	0	0
20-24	263	177	86	115			136			0			12			0					0	0	0
25-29	759	594	165	252			473			2			31			1					0	0	0
30-39	2731	2372	359	858			1741			6			119			7					0	0	0
40-49	1553	1325	228	491			995			2			64			1					0	0	0
50-54	304	273	31	97			191			1			14			0					1	1	0
55+	221	181	40	70			144			0			7			0					0	0	0
Summary Age																							
25-54	5347	4564	783	1698			3400			11			228			9					1	1	0

¹ Urban, suburban, and rural are defined by counties as presented in the Indiana Public Health Priorities - Volume 1, 1994.
**Data on ethnic breakdown by gender, risk by region, risk by age, and age by region was not available.

ATTACHMENT 7
PLWH/A Reported Through 2000

Indiana	IN	Mode of Exposure						Breakdown Ped				Age										Sum	
	Total	MSM	MSM - IDU	IDU	Het	Adult Bl Prod.	Not Classif	Ped Total	Ped Parent	Ped Bl.	Ped Hem	0-23 mo.	2-4 yrs	5-12	13-19	20-24	25-29	30-39	40-49	50-54	55+	25-54	
(as of 12/31/2000)																							
Geographic¹																							
Indiana	5917	3090	314	630	707	80	1035	61	43	1	15	12	7	25	42	263	759	2731	1553	304	221	5347	
Urban	3844																						
Rural	260																						
Suburban	1813																						
Regions																							
Gary	881																						
South Bend	390																						
Ft. Wayne	354																						
Lafayette	135																						
Muncie	174																						
Peru	74																						
Indianapolis	2819																						
Terre Haute	268																						
Richmond	114																						
Bloomington	218																						
Jeffersonville	204																						
Evansville	283																						
Unknown	3																						
Sex																							
Male	4967	3090	314	451	224	58	794	36	19	1	15	7	1	12	25	177	594	2372	1325	273	181	4564	
Female	950	0	0	179	483	22	241	25	24	0	0	5	6	13	17	86	165	359	228	31	40	783	
Race/Ethnicity																							
Af. American																							
Male	1463	656	96	217	96	12	374	12	11	0	0	4	1	5	6	75	172	679	381	86	54	1318	
Female	456	0	0	86	191	6	159	14	14	0	0	5	3	5	7	40	80	179	110	11	16	380	
Anglo																							
Male	3727	2324	208	283	387	60	432	33	17	1	14	3	3	13	28	136	473	1741	995	191	144	3400	
Female	3266	2324	208	193	115	46	358	22	7	1	14	3	0	5	18	97	395	1572	882	172	122	3021	
API																							
Male	461	0	0	90	272	14	74	11	10	0	0	0	3	8	10	39	78	169	113	19	22	379	
Female	13	5	0	1	2	0	3	2	1	0	1	0	0	1	1	0	2	6	2	1	0	11	
Hispanic																							
Male	10	5	0	1	0	0	2	2	1	0	1	0	0	1	1	0	1	5	1	1	0	8	
Female	3	0	0	0	2	0	1	0	0	0	0	0	0	0	0	0	1	1	1	0	0	3	
Ntv. Am/Alask																							
Male	247	100	10	42	29	1	65	0	0	0	0	0	0	0	12	31	119	64	14	7	228		
Female	219	100	10	39	12	0	58	0	0	0	0	0	0	0	5	26	109	61	13	5	209		
Unknown																							
Male	28	0	0	3	17	1	7	0	0	0	0	0	0	0	0	7	5	10	3	1	2	19	
Female	10	5	0	1	2	1	1	0	0	0	0	0	0	1	0	0	1	7	1	0	0	9	
Risk Group																							
MSM	8	5	0	1	1	0	1	0	0	0	0	0	0	1	0	0	0	7	0	0	0	7	
MSM/IDU	2	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	2	
IDU	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1
Heterosexual	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1
Adult Blood Product	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1
Not Classified	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1
Pediatric Total	61																						
Pediatric Breakdown																							
Pediatric Parental	43																						
Pediatric Bl.	1																						
Pediatric Hem	15																						
Age Group																							
0-23mo.	12																						
2-4yrs	7																						
5-12	25																						
13-19	42																						
20-24	263																						
25-29	759																						
30-39	2731																						
40-49	1553																						
50-54	304																						
55+	221																						
Summary Age																							
25-54	5347																						

¹ Urban, suburban, and rural are defined by
**Data on ethnic breakdown by gender, is

ATTACHMENT 7a (Row %)
Cumulative HIV/AIDS Cases

Indiana (as of 12/31/2000)	IN Total	Mode of Exposure							Breakdown Ped				Age										Sum Age
		MSM	MSM/ IDU	IDU	Het	Adult Bl Prod.	Not Classifi ed	Ped Total	Ped Parent	Ped Bl.	Ped Hem	0-23 mo.	2-4 yrs	5-12	13-19	20-24	25-29	30-39	40-49	50-54	55+	25-54	
Geographic¹																							
Indiana	100.0%	56.9%	6.1%	10.5%	9.4%	2.3%	14.0%	0.9%	0.6%	0.0%	0.2%	0.0%	0.1%	0.4%	0.3%	1.8%	5.1%	35.3%	37.7%	9.5%	9.8%	87.6%	
Urban	100.0%	59.2%	6.2%	10.7%	8.5%	1.8%	12.8%	0.8%	0.6%	0.0%	0.1%	0.0%	0.1%	0.4%	0.3%	2.1%	5.3%	35.7%	37.8%	9.6%	8.7%	88.5%	
Rural	100.0%	48.7%	4.3%	11.4%	8.8%	3.9%	21.7%	1.3%	0.7%	0.0%	0.5%	0.0%	0.1%	0.6%	0.5%	1.0%	3.0%	33.9%	37.1%	11.2%	12.5%	85.2%	
Suburban	100.0%	54.5%	6.4%	10.0%	11.6%	2.7%	13.8%	1.0%	0.6%	0.1%	0.3%	0.0%	0.0%	0.5%	0.4%	1.5%	5.2%	34.8%	37.6%	8.8%	11.1%	86.4%	
Unknown	100.0%	53.5%	5.6%	8.5%	2.8%	2.8%	26.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	2.8%	31.0%	45.1%	7.0%	14.1%	85.9%		
Regions																							
Gary	100.0%	43.9%	7.3%	19.2%	10.5%	2.4%	16.1%	0.6%	0.6%	0.0%	0.0%	0.1%	0.0%	0.4%	0.1%	1.6%	4.8%	34.1%	39.8%	9.7%	9.4%	88.4%	
South Bend	100.0%	56.8%	5.8%	9.2%	11.6%	2.8%	13.2%	0.5%	0.4%	0.1%	0.0%	0.0%	0.0%	0.4%	0.4%	2.4%	6.6%	32.6%	35.8%	12.0%	9.7%	87.0%	
Ft. Wayne	100.0%	59.4%	4.9%	8.1%	8.9%	3.8%	13.8%	1.3%	0.7%	0.1%	0.4%	0.0%	0.1%	0.4%	0.4%	2.4%	4.2%	35.7%	35.6%	9.5%	11.7%	85.0%	
Lafayette	100.0%	58.7%	7.1%	7.4%	10.6%	4.6%	10.2%	1.4%	1.1%	0.0%	0.4%	0.0%	0.0%	1.1%	0.7%	0.7%	3.5%	33.9%	38.9%	8.8%	12.4%	85.2%	
Muncie	100.0%	57.7%	4.0%	10.1%	14.4%	2.3%	10.7%	0.7%	0.0%	0.7%	0.0%	0.0%	0.0%	0.3%	1.7%	6.7%	37.6%	32.6%	11.4%	9.7%	88.3%		
Peru	100.0%	51.3%	6.0%	8.7%	16.0%	4.0%	13.3%	0.7%	0.0%	0.0%	0.7%	0.0%	0.0%	1.3%	2.7%	6.0%	42.0%	28.0%	6.0%	14.0%	82.0%		
Indianapolis	100.0%	61.1%	5.6%	8.6%	8.6%	1.9%	13.5%	0.8%	0.6%	0.0%	0.1%	0.0%	0.1%	0.4%	0.4%	1.9%	5.5%	35.6%	37.6%	9.2%	9.2%	88.0%	
Terre Haute	100.0%	40.6%	5.5%	19.0%	8.6%	0.7%	24.9%	0.7%	0.5%	0.0%	0.2%	0.0%	0.0%	0.2%	0.2%	1.9%	2.9%	32.5%	41.3%	11.4%	9.5%	88.1%	
Richmond	100.0%	52.3%	7.5%	8.7%	12.0%	3.3%	14.1%	2.1%	0.8%	0.0%	0.8%	0.0%	0.0%	0.8%	0.4%	2.1%	4.1%	36.5%	40.2%	7.1%	8.7%	88.0%	
Bloomington	100.0%	64.8%	6.7%	6.7%	7.8%	1.9%	10.8%	1.3%	1.3%	0.0%	0.0%	0.0%	0.3%	0.5%	0.5%	1.1%	4.0%	34.9%	40.1%	9.1%	9.4%	88.2%	
Jeffersonville	100.0%	58.9%	6.1%	8.2%	8.0%	1.9%	16.2%	0.7%	0.5%	0.0%	0.2%	0.0%	0.2%	0.5%	0.0%	1.2%	4.5%	38.3%	37.1%	8.2%	10.1%	88.0%	
Evansville	100.0%	61.5%	8.8%	9.0%	9.3%	2.3%	7.0%	2.2%	0.9%	0.2%	1.1%	0.0%	0.0%	0.9%	0.5%	1.6%	4.3%	36.7%	36.0%	9.5%	10.4%	86.6%	
Unknown	100.0%	51.2%	6.1%	7.3%	2.4%	3.7%	29.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	2.4%	28.0%	47.6%	6.1%	15.9%	84.1%		
Sex																							
Male	100.0%	65.3%	7.0%	8.8%	3.6%	1.9%	12.7%	0.6%	0.3%	0.0%	0.3%	0.0%	0.0%	0.2%	0.2%	1.3%	4.2%	35.3%	38.7%	10.2%	9.8%	88.4%	
Female	100.0%	0.0%	0.0%	21.9%	48.6%	4.7%	22.1%	2.7%	2.6%	0.1%	0.0%	0.0%	0.4%	1.7%	1.4%	5.2%	10.9%	35.1%	31.0%	4.8%	9.6%	81.8%	
Race/Ethnicity																							
Af. American																							
Male	100.0%	38.7%	6.1%	17.3%	12.9%	1.4%	22.5%	0.5%	0.5%	0.0%	0.0%	0.1%	0.2%	0.7%	0.3%	3.2%	6.8%	36.1%	36.5%	9.0%	7.1%	88.5%	
Female	100.0%	48.2%	7.6%	16.1%	5.9%	1.1%	20.4%	0.8%	0.8%	0.0%	0.0%	0.1%	0.1%	0.5%	0.0%	2.4%	5.6%	36.1%	37.6%	9.9%	7.6%	89.3%	
Anglo																							
Male	100.0%	0.0%	0.0%	22.1%	41.4%	2.6%	30.8%	9.2%	4.7%	0.8%	3.6%	0.0%	0.8%	1.6%	1.5%	6.1%	11.8%	36.0%	31.9%	5.4%	4.9%	85.1%	
Female	100.0%	65.2%	6.2%	7.2%	7.9%	2.7%	10.0%	0.5%	0.2%	0.1%	0.3%	0.0%	0.0%	0.3%	0.3%	1.2%	4.2%	34.8%	38.2%	9.8%	11.1%	87.0%	
API																							
Male	100.0%	72.5%	6.9%	5.6%	2.7%	2.3%	9.4%	0.3%	0.3%	0.0%	0.0%	0.0%	0.0%	0.2%	0.2%	0.9%	3.6%	34.8%	39.1%	10.4%	10.8%	87.9%	
Female	100.0%	0.0%	0.0%	21.8%	54.2%	6.4%	15.0%	0.3%	0.1%	0.0%	0.1%	0.0%	0.1%	1.9%	1.4%	4.1%	9.7%	34.7%	29.9%	4.7%	13.4%	79.0%	
Hispanic																							
Male	100.0%	47.4%	0.0%	10.5%	15.8%	0.0%	15.8%	10.5%	5.3%	0.0%	5.3%	0.0%	0.0%	5.3%	5.3%	0.0%	10.5%	31.6%	31.6%	10.5%	5.3%	84.2%	
Female	100.0%	64.3%	0.0%	7.1%	9.0%	0.0%	14.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	7.1%	7.1%	0.0%	7.1%	35.7%	28.6%	14.3%	0.0%	85.7%	
Native Am./Alaskan																							
Male	100.0%	0.0%	0.0%	20.0%	60.0%	0.0%	20.0%	20.0%	0.0%	0.0%	20.0%	0.0%	0.0%	0.0%	0.0%	0.0%	20.0%	20.0%	40.0%	0.0%	20.0%	80.0%	
Female	100.0%	44.1%	3.9%	18.3%	10.7%	1.1%	21.6%	0.3%	0.0%	0.0%	0.3%	0.0%	0.0%	0.0%	0.3%	2.2%	7.3%	37.6%	38.2%	7.0%	7.3%	90.2%	
Unknown																							
Male	100.0%	50.2%	4.5%	17.6%	4.8%	1.0%	21.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.3%	1.0%	6.1%	38.7%	39.0%	8.0%	7.0%	91.7%		
Female	100.0%	0.0%	0.0%	23.3%	53.5%	2.3%	20.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	11.6%	16.3%	30.2%	32.6%	0.0%	9.3%	79.1%	
Risk Group																							
MSM	100.0%																						
MSM/IDU	100.0%																						
IDU	100.0%																						
Heterosexual	100.0%																						
Adult Blood Product	100.0%																						
Not Classified	100.0%																						
Pediatric Total	100.0%																						
Pediatric Breakdown																							
Pediatric Parental	100.0%																						
Pediatric Bl.	100.0%																						
Pediatric Hem	100.0%																						
Age Group																							
0-23mo.	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	100.0%	100.0%	0.0%	0.0%												
2-4yrs	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%												
5-12	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	6.4%	93.6%	93.6%	0.0%	0.0%												
13-19	100.0%	5.4%	0.0%	2.7%	16.2%	5.4%	27.0%	43.2%	18.9%	8.1%	16.2%												
20-24	100.0%	38.9%	2.6%	2.6%	21.2%	1.6%	24.9%	8.3%	1.6%	0.5%	6.2%												
25-29	100.0%	47.4%	3.3%	5.1%	21.2%	1.5%	20.3%	1.1%	0.0%	0.2%	0.9%												
30-39	100.0%	58.6%	6.7%	8.2%	10.1%	1.6%	14.7%	0.0%	0.0%	0.0%	0.0%												
40-49	100.0%	58.3%	7.2%	13.9%	7.4%	1.5%	11.7%	0.0%	0.0%	0.0%	0.0%												
50-54	100.0%	60.7%	5.9%	12.2%	6.6%	2.3%	12.3%	0.0%	0.0%	0.0%	0.0%												
55+	100.0%	54.6%	2.3%	8.9%	9.6%	8.2%	16.4%	0.0%	0.0%	0.0%	0.0%												
Summary Age																							
25-54	100.0%	58.0%	6.6%	10.9%	9.2%	1.6%	13.5%	0.1%	0.0%	0.0%	0.1%												

¹ Urban, suburban, and rural are defined t

ATTACHMENT 7a (Col %)
Cumulative HIV/AIDS Cases

Indiana	Mode of Exposure										Breakdown Ped						Age										Sum
	Total	MSM		IDU		Het		Adult Bl Prod.	Not Classif ed	Ped Total	Ped Parent	Ped Bl.	Ped Hem	0-23 mo.	2-4 yrs	5-12	13-19	20-24	25-29	30-39	40-49	50-54	55+	25-54			
	MSM	IDU	IDU	Het	Adult Bl Prod.	Not Classif ed	Ped Total	Ped Parent	Ped Bl.	Ped Hem	0-23 mo.	2-4 yrs	5-12	13-19	20-24	25-29	30-39	40-49	50-54	55+	25-54						
Geographic¹																											
Indiana	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%			
Urban	60.7%	63.3%	61.6%	61.6%	54.9%	48.8%	55.6%	53.2%	60.0%	40.0%	37.5%	50.0%	77.8%	53.2%	54.1%	69.4%	63.9%	61.5%	60.8%	61.5%	63.9%	61.3%	61.3%				
Rural	8.9%	7.6%	6.3%	9.6%	8.3%	15.0%	13.8%	12.8%	10.8%	0.0%	20.8%	0.0%	11.1%	12.8%	13.5%	5.2%	5.3%	8.5%	8.7%	10.5%	11.3%	8.6%	8.6%				
Suburban	29.8%	28.5%	31.5%	28.2%	36.6%	35.4%	29.4%	34.0%	29.2%	60.0%	41.7%	50.0%	11.1%	34.0%	32.4%	25.4%	30.4%	29.4%	29.7%	27.5%	33.9%	29.4%	29.4%				
Unknown	0.7%	0.6%	0.6%	0.5%	0.2%	0.8%	1.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.4%	0.6%	0.8%	0.5%	1.0%	0.6%	0.6%				
Regions																											
Gary	14.6%	11.3%	17.6%	26.7%	16.2%	15.4%	16.8%	9.6%	13.8%	0.0%	0.0%	100.0%	0.0%	12.8%	2.7%	13.0%	13.9%	14.1%	15.4%	14.9%	14.1%	14.8%	14.8%				
South Bend	6.9%	6.9%	6.6%	6.0%	8.5%	8.5%	6.5%	4.3%	4.6%	20.0%	0.0%	0.0%	0.0%	6.4%	8.1%	9.3%	9.0%	6.3%	6.5%	8.7%	6.9%	6.8%	6.8%				
Ft. Wayne	6.7%	7.0%	5.4%	5.1%	6.3%	11.0%	6.6%	9.6%	7.7%	20.0%	12.5%	0.0%	11.1%	6.4%	8.1%	8.8%	5.5%	6.8%	6.3%	6.7%	8.0%	6.5%	6.5%				
Lafayette	2.6%	2.7%	3.1%	1.9%	3.0%	5.3%	1.9%	4.3%	4.6%	0.0%	4.2%	0.0%	0.0%	6.4%	5.4%	1.0%	1.8%	2.5%	2.7%	2.4%	3.3%	2.6%	2.6%				
Muncie	2.8%	2.8%	1.8%	2.7%	4.2%	2.8%	2.1%	2.1%	0.0%	0.0%	8.3%	0.0%	0.0%	2.7%	2.6%	3.7%	3.0%	2.4%	3.3%	2.8%	2.8%	2.8%	2.8%				
Peru	1.4%	1.3%	1.4%	1.2%	2.4%	2.4%	1.3%	1.1%	0.0%	0.0%	4.2%	0.0%	0.0%	0.0%	0.0%	5.4%	2.1%	1.6%	1.7%	1.0%	0.9%	2.0%	1.3%				
Indianapolis	45.5%	48.9%	41.9%	37.3%	41.5%	37.4%	43.9%	39.4%	44.6%	20.0%	29.2%	0.0%	66.7%	42.6%	48.6%	47.2%	49.5%	45.9%	45.4%	44.3%	43.0%	45.8%	45.8%				
Terre Haute	3.9%	2.8%	3.5%	7.1%	3.5%	1.2%	7.0%	3.2%	3.1%	0.0%	4.2%	0.0%	0.0%	2.1%	2.7%	4.1%	2.2%	3.6%	4.3%	4.7%	3.8%	3.9%	3.9%				
Richmond	2.2%	2.1%	2.8%	1.9%	2.9%	3.3%	2.3%	5.3%	3.1%	20.0%	8.3%	0.0%	0.0%	4.3%	2.7%	2.6%	1.8%	2.3%	2.4%	1.7%	2.0%	2.3%	2.3%				
Bloomington	3.5%	3.9%	3.8%	2.2%	2.9%	2.8%	2.7%	5.3%	7.7%	0.0%	0.0%	0.0%	11.1%	4.3%	5.4%	2.1%	2.7%	3.4%	3.7%	3.3%	3.3%	3.5%	3.5%				
Jefersonville	4.0%	4.1%	4.0%	3.1%	3.3%	3.3%	4.6%	3.2%	3.1%	0.0%	4.2%	0.0%	11.1%	4.3%	0.0%	2.6%	3.5%	4.3%	3.9%	3.4%	4.1%	4.0%	4.0%				
Evansville	5.2%	5.6%	7.5%	4.4%	5.1%	5.3%	2.6%	12.8%	7.7%	20.0%	25.0%	0.0%	0.0%	10.6%	8.1%	4.7%	4.4%	5.4%	5.0%	5.2%	5.5%	5.1%	5.1%				
Unknown	0.8%	0.7%	0.8%	0.5%	0.2%	1.2%	1.6%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.4%	0.6%	1.0%	0.5%	1.2%	0.7%	0.7%				
Sex																											
Male	87.1%	100.0%	100.0%	73.0%	33.5%	73.6%	79.5%	60.6%	44.6%	80.0%	100.0%	100.0%	33.3%	48.9%	48.6%	62.7%	72.2%	87.1%	89.4%	93.4%	87.3%	87.9%	87.9%				
Female	12.9%	0.0%	0.0%	27.0%	66.5%	26.4%	20.5%	39.4%	55.4%	20.0%	0.0%	0.0%	66.7%	51.1%	51.4%	37.3%	27.8%	12.9%	10.6%	6.6%	12.7%	12.1%	12.1%				
Race/Ethnicity																											
Af. American																											
Male	28.6%	19.4%	28.7%	47.2%	39.2%	17.1%	46.0%	17.0%	24.6%	0.0%	0.0%	100.0%	77.8%	46.8%	27.0%	50.3%	38.3%	29.3%	27.7%	27.2%	20.6%	28.9%	28.9%				
Female	22.9%	19.4%	28.7%	35.2%	14.3%	10.6%	33.5%	20.2%	29.2%	0.0%	0.0%	100.0%	22.2%	25.5%	2.7%	31.1%	25.1%	23.5%	22.3%	24.0%	17.8%	23.4%	23.4%				
Anglo																											
Male	5.7%	0.0%	0.0%	11.9%	24.9%	6.5%	12.5%	59.6%	44.6%	100.0%	91.7%	0.0%	56.6%	21.3%	24.3%	19.2%	13.2%	5.8%	4.8%	3.2%	2.9%	5.5%	5.5%				
Female	67.7%	77.7%	68.1%	46.6%	56.5%	80.9%	48.3%	40.4%	18.5%	80.0%	91.7%	0.0%	22.2%	51.1%	64.9%	45.6%	56.4%	66.8%	68.6%	70.1%	76.7%	67.3%	67.3%				
Hispanic																											
Male	61.0%	77.7%	68.1%	32.6%	17.6%	61.8%	41.1%	19.1%	26.2%	20.0%	0.0%	0.0%	11.1%	21.3%	37.8%	30.1%	43.4%	60.1%	63.3%	66.7%	67.4%	61.2%	61.2%				
Female	6.8%	0.0%	0.0%	14.1%	38.9%	19.1%	7.3%	2.1%	1.5%	0.0%	4.2%	0.0%	11.1%	29.8%	27.0%	15.5%	13.0%	6.7%	5.4%	3.3%	9.3%	6.1%	6.1%				
API																											
Male	0.2%	0.1%	0.0%	0.2%	0.3%	0.0%	0.2%	2.1%	1.5%	0.0%	4.2%	0.0%	0.0%	2.1%	2.7%	0.0%	0.4%	0.2%	0.1%	0.2%	0.1%	0.2%	0.2%				
Female	0.1%	0.1%	0.0%	0.1%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	2.1%	2.7%	0.0%	0.2%	0.1%	0.1%	0.2%	0.0%	0.1%	0.1%				
Native Am./Alaskan																											
Male	0.0%	0.0%	0.0%	0.1%	0.3%	0.0%	0.1%	1.1%	0.0%	0.0%	4.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%				
Female	0.0%	0.0%	0.0%	0.0%	0.1%	0.3%	0.0%	0.1%	1.1%	0.0%	4.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%				
Unknown																											
Male	0.0%	0.0%	0.0%	0.1%	0.0%	0.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%	0.1%	0.0%				
Female	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%				
Risk Group																											
MSM	56.9%												0.0%	0.0%	0.0%	5.4%	38.9%	47.4%	58.6%	58.3%	60.7%	54.6%	58.0%	58.0%			
MSM/IDU	10.5%												0.0%	0.0%	0.0%	0.0%	2.6%	3.3%	6.7%	7.2%	5.9%	2.3%	6.6%	6.6%			
IDU	6.1%												0.0%	0.0%	0.0%	2.7%	2.6%	5.1%	8.2%	13.9%	12.2%	8.9%	10.9%	10.9%			
Heterosexual	9.4%												0.0%	0.0%	0.0%	16.2%	21.2%	21.2%	10.1%	7.4%	6.6%	9.6%	9.2%	9.2%			
Adult Blood Product	14.0%												0.0%	0.0%	0.0%	5.4%	1.6%	1.5%	1.6%	1.5%	2.3%	8.2%	1.6%	1.6%			
Not Classified	2.3%												0.0%	0.0%	6.4%	27.0%	24.9%	20.3%	14.7%	11.7%	12.3%	16.4%	13.5%	13.5%			
Pediatric Total	0.9%												100.0%	100.0%	93.6%	43.2%	8.3%	1.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%			
Pediatric Breakdown																											
Pediatric Parental	0.6%												100.0%	100.0%	93.6%	18.9%	1.6%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%			
Pediatric Bl.	0.0%												0.0%	0.0%	0.0%	8.1%	0.5%	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%			
Pediatric Hem	0.2%												0.0%	0.0%	0.0%	16.2%	6.2%	0.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%			
Age Group																											
0-23mo.	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	2.1%	3.1%	0.0%	0.0%																
2-4yrs	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	9.6%	13.8%	0.0%	0.0%																
5-12	0.4%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%	46.8%	67.7%	0.0%	0.0%																
13-19	0.3%	0.0%	0.0%	0.1%	0.6%	0.8%	0.7%	17.0%	10.8%	60.0%	25.0%																
20-24	1.8%	1.2%	0.8%	0.4%	4.0%	1.2%	3.2%	17.0%	4.6%	20.0%	50.0%																
25-29	5.1%	4.2%	2.8%	2.5%	11.4%	3.3%	7.4%	6.4%	0.0%	20.0%	20.8%																
30-39	35.3%	36.4%	39.0%	27.6%	37.9%	24.8%	37.2%	1.1%	0.0%	0.0%	4.2%																
40-49	37.7%	38.6%	44.6%	50.0%	29.5%	25.2%	31.6%	0.0%	0.0%	0.0%	0.0%																
50-54	9.5%	10.1%	9.2%	11.1%	6.6%	9.8%	8.4%	0.0%	0.0%	0.0%	0.0%																
55+	9.8%	9.4%	3.7%	8.3%	9.9%	35.0%	11.5%	0.0%	0.0%	0.0%	0.0%																
Summary Age																											
25-54	87.6%	89.4%	95.6%	91.2%	85.4%	63.0%	84.5%	7.4%	0.0%	20.0%	25.0%																

¹ Urban, suburban, and rural are defined t

ATTACHMENT 8 STD Rates

	Disease	1993	1994	1995	1996	1997	1998	1999	2000
INDIANA	Chlamydia	9869	9379	7699	9551	9379	10607	10926	12741
	Gonorrhea	8435	8864	7665	6172	6266	6349	5819	5929
	P & S Syphilis	966	707	757	555	450	461	779	614
Region									
Gary	Chlamydia	518	538	548	632	832	658	699	1122
	Gonorrhea	1443	1069	913	473	574	512	492	585
	P & S Syphilis	464	379	372	215	207	106	99	59
South Bend	Chlamydia	455	359	324	209	200	251	322	672
	Gonorrhea	433	359	479	227	143	197	205	339
	P & S Syphilis	18	28	17	23	13	12	11	7
Ft. Wayne	Chlamydia	551	542	562	786	920	958	978	1192
	Gonorrhea	829	610	879	714	798	658	539	577
	P & S Syphilis	96	25	33	16	11	5	4	6
Lafayette	Chlamydia	156	248	210	250	264	307	341	396
	Gonorrhea	45	45	46	59	47	65	69	70
	P & S Syphilis	8	4	7	3	3	3	2	3
Muncie	Chlamydia	336	303	327	387	514	459	611	588
	Gonorrhea	216	255	199	174	206	183	236	291
	P & S Syphilis	11	26	63	35	24	16	8	7
Peru	Chlamydia	462	375	259	332	467	615	652	747
	Gonorrhea	184	188	192	160	200	275	227	213
	P & S Syphilis	22	20	37	18	18	13	18	36
Indianapolis	Chlamydia	5678	5474	4092	5578	4518	5543	5084	5832
	Gonorrhea	4569	5634	4112	3629	3398	3703	3264	3283
	P & S Syphilis	308	190	188	197	147	266	592	464
Terre Haute	Chlamydia	231	308	278	289	296	285	313	235
	Gonorrhea	162	101	115	121	93	98	87	61
	P & S Syphilis	3	3	6	7	5	3	12	11
Richmond	Chlamydia	200	156	155	137	273	309	344	369
	Gonorrhea	83	82	69	48	96	72	73	62
	P & S Syphilis	8	10	6	8	3	2	4	2
Bloomington	Chlamydia	420	379	330	347	358	397	459	332
	Gonorrhea	89	76	80	62	97	117	91	59
	P & S Syphilis	4	3	1	3	3	6	7	0
Jeffersonville	Chlamydia	329	253	286	249	324	348	369	430
	Gonorrhea	133	62	123	80	129	106	104	103
	P & S Syphilis	12	12	17	19	4	8	5	6
Evansville	Chlamydia	533	444	328	355	413	477	754	826
	Gonorrhea	249	383	458	425	485	363	432	286
	P & S Syphilis	12	7	10	11	12	21	17	13